SMEG500V

Product Family	Refrigerator
Installation	Free Standing
Category	One Door
Reference width	Higher than 80 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Standard
EAN code	8017709177591



Aesthetics

Aesthetic	50's Style	**Logo colour**	Chrome
Colour	Green	**Side material**	Steel
Design	Rounded	**Side colour**	Green
Material	Heat-moulded	**Logo**	Applied
Collaborations	Smeg & Fiat	**Door shelves profile color**	Chrome
Handle	External		
Handle type	Fixed	**Drawers profile color**	Chrome
Handle colour	Chrome	**Color of glass shelf profile**	Chrome
		Alternative colours available	White, Blue, Red

Refrigerator compartment features

Shelves material	Wire	**Bottle shelf**	Yes

Refrigerator Inner Door

No. of bottle shelves	3	**Bottle shelves with wire support**	Yes

Other technical features

Type of temperature control	Electro-mechanical
Refrigerant gas type	R600a
Refrigerant Quantity (g)	20 g

Foam agent	Cyclopentane

Performance / Energy Label



Annual energy consumption	103 kWh/a	**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)**	109 l
Energy efficiency class	F	**Noise level**	37 dB(A) re 1 pW
Airborne acoustical noise emission class	C	**Climatic class**	SN, ST
Total volume	109 l	**EEI**	124 %

Electrical Connection

Electrical connection rating	60 W	**Frequency (Hz)**	50 Hz
Current	0.3 A	**Power supply cable length**	100 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	1280 mm	**Product depth with handle**	570 mm
Depth without handle	815 mm	**Product depth with doors open at 90°**	800 mm
Height max	865 mm	**Spacer depth**	30 mm
Product width with maximum doors opening	707 mm		

Alternative products

SMEG500BL



Blue

SMEG500G



Yellow

SMEG500B



White

SMEG500R



Red

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class F



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.