

SO4104S4PG

Category Product Family Vitality system Power supply Heat source Cooking method Galileo Technology Cleaning system EAN code

45cm compact Oven Yes Electric ELECTRICITY Combi Steam Steam100 Pro Vapour Clean 8017709325558



Aesthetics

Aesthetic Colour Finishing Design Material Glass Type Linea Neptune Grey Matte Flat Glass Clear Serigraphy colour Serigraphy type Door Handle Handle Colour Logo Black Symbols Full glass Linea minimal Satin metal and black Silk screen

Controls

VIVO

Display name Display technology Control setting

VivoScreen TFT Advanced full touch No. of display languages Display languages 20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA), Zulu (ZA)

Programs / Functions

No. of cooking functions	20
Automatic programmes	150
Steam assisted levels	3 + manual



Customisable recipes Traditional cooking functions	10	
Static	🛞 Fan assisted	Circulaire
🛞 Turbo	ECO Eco	Large grill
Fan grill (large)	Base	Circulaire + bottom
Bizza		
Cooking functions with pulsed ste	am	
Fan assisted	Circolaire	Circulaire + Bottom
🞯 Turbo	😴 Fan Grill	
Cooking functions with steam		
Steam	Fan assisted	© Circulaire
Circulaire + bottom	🛞 Warming and re-generation	Sous Vide
Other Steam functions		
Tank cleaning	Water outlet	🚽 Water input
Descaling		
Other functions		
Defrost by time	Defrost by weight	Proving
Stone cooking	вво	Air-Fry
🖄 Keep warm	Plate rack/warmer	Sabbath
Cleaning functions		
Vapour Clean		

Options



Time-setting options

Minute minder Timer Delay start and automatic end cooking Yes 1

<u>=</u>

.....

Pat Q

DeltaT cooking	Yes
Showroom demo option	Yes
Demo-tutorial mode	Yes
Touch guide	Yes
Chronology	Yes, the last 10 functions utilised



Other options

Other options	Keep warm, Eco light, Language setting, Digital clock display, Brightness, Tones, Tones volume
Cooking with probe thermometer	Yes
Multi-step cooking	Yes, up to 2 steps
Smart cooking	Yes
SameTime	Yes

Rapid pre-heating Instant GO

Yes Yes

Technical Features

2	<u> </u>		
Minimum Temperature	25 °C	Removable door	Yes
Maximum temperature	250 °C	Full glass inner door	Yes
No. of shelves	2	Removable inner door	Yes
N. of fans	1	Total no. of door glasses	3
No. of lights	2	Soft Close hinges	Yes
Light type	LED	Soft Open	Yes
Light Power	5 W	Chimney	Variable
Light when door is	Yes	Cooling system	Centrifugal
opened		Cooling duct	Single
Lower heating element	1200 W	Steam range	20 - 100%
power		Usable cavity space	214x462x397 mm
Upper heating element - Power	1000 W	dimensions (HxWxD)	
Grill element - power	1700 W	Temperature control	Electronic
•		Cavity material	Ever clean Enamel
Large grill - Power	2700 W	Water loading	Fill&Hide 2 , automatic
Circular heating element - Power	2000 W	Tank capacity	21
Heating suspended when door is opened	Yes		
Door opening type	Standard opening		
Door	Temperate door		

Performance / Energy Label



Energy efficiency class A++ Net volume of the cavity 41 | Energy consumption per 0.80 kWh cycle in conventional mode Energy consumption in 2.88 MJ conventional mode

Energy consumption in 1.58 MJ forced air convection Energy consumption per 0.44 kWh cycle in fan-forced convection Number of cavities 1 Energy efficiency index 61.1 %

Accessories Included

1





Enamelled deep tray (50mm)	1
Insert gird	1
St/steel tray (20mm)	1

St/steel perforated deep tray (40mm)	1
Telescopic Guide rails, total Extraction	1
Temperature probe	Yes, multipoint

Electrical Connection

Voltage Current Nominal power	220-240 V 13 A 3000 W	Frequency (Hz) Power supply cable length	50/60 Hz 150 cm
40 35-40 40 40 40 40 40 40 554-564 554-564	0-554 790,500 554-564 0 550 6 550 550 550 550 550 55		4, 345



Compatible Accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1



Enamelled tray, 20mm deep

BX640



Stainless steel tray for steam oven, H40xW455xD176 mm

ET20

Enamelled tray, 20mm deep



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep

BX640PL

Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour

ET50

Enamelled tray, 50mm deep

GTTV2

Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PALPZ



Pizza shovel with fold away handle width: 315mm length : 325mm



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



•ss•smeg

Symbols glossary

A b	A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.	×.	Combination steam: ovens can be used either as a steam oven, or as a traditional oven, or alternatively the two methods can be combined.
¥.	Defrost by time: with this function the time of thawing of foods are determined automatically.	*	Defrost by weight: With this function the defrosting time is determined
τ	Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.	3	Triple glazed doors: Number of glazed doors.
8 8 8	Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.	-Œ	Electric
Ĩ	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	(%)	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
\bigcirc	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
()	Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.		Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	\sim	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
(??)	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.	٢	Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.



	FUN_SOUS_VIDE_72dpi		Steam cooking: it's a natural way of cooking for any kind of products, from vegetables to desserts, to preserve the nutritional and organoleptic properties of ingredients. Ideal for cooking without fat, to heat up food without drying. Steam is ideal for simultaneous cooking of meals that require different cooking times.
((*?))	Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.	۲	Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.
4	FUN_STEAM_OTHER_WATER_IN_OUT_72dpi	(S)	Reheat: This function can reheat precooked dishes, without becoming dry or hard.
	Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.	1. L	Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.
	Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.	S.	Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.
Ser and a series of the series	Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.		Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.
45 cm	Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
1	The inner door glass: can be removed with a few quick movements for cleaning.	૾ૺ૽	KEEP_WARM_72dpi
	Warming up: An option for dish warming and keeping the prepared meals hot.	P	Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops
<u>;;;</u>	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted	<u>-</u>	Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.

•se•smeg

i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works	(Jan	Touch guide: By holding down any symbol for 3 seconds you can get information on its function
<u>2</u> .	The oven cavity has 2 different cooking levels.	•	Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically.
Ø	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.	<i></i>	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
V	Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	41 it	The capacity indicates the amount of usable space in the oven cavity in litres.
50 It	The capacity indicates the amount of usable space in the oven cavity in litres.	VIVO screen	
(1)			
131		1	
6			Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g
	Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.		Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire
Pat	DeltaT cooking The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. The oven offers the possibility to choose between three different deltaT cooking modes (slow, medium and fast) and to set any desired core temperature. A concentration of technology that makes it possible to obtain tender, juicy, healthy products of the highest quality.		