

## SO6606APNR



Product Family Vitality system Power supply Cooking method Galileo platform Cleaning system EAN code 60cm Oven Yes Electric Multitech Omnichef Vapor Clean 8017709320782



## Aesthetics

- Aesthetic Colour Finishing Design Component finish Material
- Dolce Stil Novo Black Glossy Flat Copper Glass
- Glass Type Door Handle Handle Colour Logo
- Eclipse Full glass Dolce Stil Novo Black Applied

## Controls



Display name Display technology Control setting

VivoScreen max TFT Advanced full touch

### No. of display languages Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA), Zulu (ZA)

## Programs / Functions main oven

No. of cooking functions	26	
Automatic programmes	150	
Steam assisted levels	3 + manual	



Customisable recipes	10	
Traditional cooking functions		
Static	🛞 Fan assisted	Circulaire
Turbo	ECO Eco	Large grill
😿 Fan grill (large)	Base	Circulaire + bottom
Bizza		
Cooking functions with pulsed ste	am	
Fan assisted	Circolaire	Circulaire + Bottom
Turbo	🔊 Fan Grill	
Cooking functions with steam		
Steam		© Circulaire
Circulaire + bottom	Sous Vide	
Other Steam functions		
Tank cleaning	Water outlet	Vater input
Descaling		
Microwave functions		
📚 Microwave	Fan assisted	Circulaire
Microwave + grill	Microwavews + Circulaire + bottom	
Multitech functions		
Multitech	Twintech	
Other functions		
Defrost by time	Defrost by weight	Leavening
Stone cooking	BBQ	Air-Fry
Keep warm	Plate rack/warmer	Sabbath
Cleaning functions		
Vapor Clean		



## Options

0 ÷	E	mil	
Time-setting options	Delay start and automatic	SameTime	Yes
	end cooking	DeltaT cooking	Yes
Minute minder	Yes	Showroom demo option	Yes
Timer	3	Demo-tutorial mode	Yes
Controls Lock / Child	Yes	Touch guide	Yes
Safety Other options	Keep warm, Eco light,	Chronology	Yes, the last 10 functions utilized
	Language setting, Digital	Rapid pre-heating	Yes
	clock display, Brightness, Tones, Tones volume	Instant GO	Yes
Cooking with probe thermometer	Yes		
Multi-step cooking	Yes, up to 3 strps		
Smart cooking	Yes		

## **Technical Features**

Minimum Temperature30 °CFull glass inner doorYesMaximum temperature250 °CTotal no. of door glasses4No. of shelves5Soft Close hingesYesN. of fans1Soft OpenYesNo. of lights2InverterYesLight typemultilevel LEDStirrerYesLight Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalLower heating element power1200 WSpeed Reduction Cooling SystemYesUpper heating element - power1000 WSteam range20 - 100%Grill element - power1700 WTemperature controlElectronic
No. of shelves5Soft Close hingesYesN. of fans1Soft OpenYesNo. of lights2InverterYesLight typemultilevel LEDStirrerYesLight Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalLower heating element1200 WSpeed Reduction Cooling SystemYesUpper heating element - 1000 WSteam range20 - 100%Power1700 WSteam range20 - 100%Grill element - power1700 WSteam range353x470x397 mm
N. of fans1Soft OpenYesNo. of lights2InverterYesLight typemultilevel LEDStirrerYesLight Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalLower heating element power1200 WSpeed Reduction Cooling SystemYesUpper heating element -1000 WSteam range20 - 100%Grill element - power1700 WUsable cavity space dimensions (HxWxD)353x470x397 mm
No. of lights2InverterYesLight typemultilevel LEDStirrerYesLight Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalLower heating element power1200 WSpeed Reduction Cooling SystemYesUpper heating element - Power1000 WSteam range Usable cavity space dimensions (HxWxD)20 - 100%
Light typemultilevel LEDStirrerYesLight Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalopenedCooling ductDoubleLower heating element1200 WSpeed Reduction Cooling SystemYesUpper heating element -1000 WSteam range20 - 100%PowerUsable cavity space dimensions (HxWxD)353x470x397 mm
Light Power5 WChimneyDoubleLight when door is openedYesCooling systemCentrifugalopenedCooling ductDoubleLower heating element1200 WSpeed Reduction Cooling SystemYesUpper heating element -1000 WSteam range20 - 100%PowerUsable cavity space dimensions (HxWxD)353x470x397 mm
Light when door is openedYesCooling systemCentrifugalopenedCooling ductDoubleLower heating element1200 WSpeed Reduction Cooling SystemYespowerCooling System20 - 100%Upper heating element - 1000 WSteam range Usable cavity space dimensions (HxWxD)353x470x397 mm
openedCooling ductDoubleLower heating element1200 WSpeed Reduction Cooling SystemYesUpper heating element -1000 WSteam range20 - 100%PowerUsable cavity space dimensions (HxWxD)353x470x397 mm
Lower heating element1200 WSpeed Reduction Cooling SystemUpper heating element -1000 WSteam range20 - 100%PowerUsable cavity space dimensions (HxWxD)353x470x397 mm
powerCooling SystemUpper heating element - 1000 WSteam range20 - 100%PowerUsable cavity space353x470x397 mmGrill element - power1700 Wdimensions (HxWxD)
PowerUsable cavity space353x470x397 mmGrill element - power1700 Wdimensions (HxWxD)
Grill element - power1700 WUsable cavity space353x4/0x39/mmdimensions (HxWxD)
Large grill - Power 2700 W Temperature control Electronic
Large grill - Power 2700 W Temperature control Electronic
Circular heating element 2000 W Cavity material Ever clean Enamel
- Power Water loading Fill&Hide 2 , automatic
Heating suspendedYesTank capacity21when door is opened
Door opening type Standard opening
Door Cool

## Performance / Energy Label



Net volume of the cavity	68 I
Number of cavities	1

SMEG SPA



## Accessories included

3		
Luxory rack (inox)	2	St/steel perforated deep 1
Enamelled deep tray	1	tray (40mm)
(50mm)		Telescopic Guide rails, 1
Insert gird	1	total Extraction (inox)
St/steel tray (20mm)	1	Temperature probe Yes, multipoint

## **Electrical Connection**

Plug Voltage Current	Not present 220-240 V 13 A	Nominal power Frequency (Hz) Power supply cable length	3000 W 50/60 Hz 115 cm
35-40 35-40 10 10 10 10 10 10 10 10 10 1	0-554 \$90,500 \$60-568 \$550 \$462 \$155 \$97		480 2,5



## **Compatible Accessories**

### AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

#### BX640



Non-perforated bowl for steam oven. Capacity 2.7lt. Suitable for cooking dishes such as rice, pasta or other cereals in water or sauce. Stainless steel , H40xW455xD176 mm

#### BX640PL

Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour

#### ET50



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 50 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

#### BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

#### **BX640P**

Drilled Bowl for steam oven. Capacity 2.7 I. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavor Stainless steel, H40xW455xD176 mm

#### ET20



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.


#### GTP2


Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

#### GTTV2

Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

#### PR3845N







## savory pastries in a safe and professional way.

PALPZ

#### PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

Pizza shovel with folding handle.

and convenient to use and store.

Dimensions L31.5 x H32.5 cm. Easy

Perfect for serving pizza, bread and





SFLK1 Child lock

#### STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



## Symbols glossary

Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses; the smooth side for fish, seafood and vegetables.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.

Only with Galileo Multi Cooking technology is it possible to combine up to three different technologies and take the best out of them: steam, microwave, convection cooking. Ovens of this generation can use any of these cooking methods individually or can combine them as desired. Both following a horizontal cooking approach (multistep) in which the various cooking techniques are arranged in sequence, and a vertical approach (multitech) in which there is a totally free combination of the three of them at the same time. Steam is healthy, microwaves are fast and traditional cooking is crispy. The oven knows how to dose them and use them wisely to guarantee innovative results with a time saving up to 70% comparing to traditional cooking

Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD -DESSERTS) After entering the weight of the food, the oven automatically defines the time required for proper defrosting.



Quadruple glazed: Number of glazed doors.

1

The water load system is designed to enhance the aesthetics of the oven. The loading and unloading tube can be easily removed from the oven and the water refilled at any time during the cooking cycle, without opening the door, guaranteeing an infinite duration of steam.

\*

The double chimney technology create a special airflow inside the cavity that reduce the consensation inside the cavity during microwave cooking, where the cavity is cold and the food is warm

\*

Гoj

Defrost by time: Manual defrost function. At the end of the set duration, the function stops.

Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.

Automatic lighting deactivation: For greater
energy savings, the lighting turns off
automatically after one minute from the start of
cooking The option can be disabled via the
settings menu. In this case the light will remain on
for the entire duration of cooking.

Ever Clean Enamel: Ever Clean enamel is applied Electric electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking Fresh Touch: Most of Smeg ovens have a "cool Fan assisted: Intense and homogeneous R "W.C door." Thanks to the combination of tangential traditional cooking, also suitable for complex cooling and internal heat-reflecting glasses, the recipes. The fan is active and the heat comes from below and from above at the same time. temperature on the outer surface of the door is maintained below 50° C. In addition to providing Ventilated cooking ensures a faster and more safety, this system protects the sides of the homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, furniture from overheating by the oven. biscuits, roasts and cobblers. Static: Traditional cooking suitable for the Base: the heat comes only from the bottom of the preparation of one dish at a time. The fan is not cavity. The fan is not active. Ideal for sweet and active and the heat comes from below and from savory pies, cobblers and pizzas. Designed to above at the same time. Static cooking is slower complete cooking and make food more crunchy and more delicate, ideal in order to get well This symbol in gas ovens indicates the gas cooked and dry dishes even inside. Ideal for burner. cooking all types of roasts, fatty meats, bread, filled cakes. Circulaire with lower element: The addition of the Circulaire: it is the perfect function for cooking all 8 (??) lower element adds extra heat at the base for types of dishes in a more delicate way. The heat food which requires extra cooking. comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors. ECO: low energy consumption cooking: this Grill: Very intense heat coming only from above ECO function is particularly suitable for cooking on a from a double heating element. The fan is not single shelf with low energy consumption. It is active. Provides excellent grilling and gratinating recommended for all types of food except those results. Used at the end of cooking, it gives a that can generate a lot of moisture (for example uniform browning to dishes. vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment Fan grill: very intense heat coming only from Microwave: Penetrating straight into the food, 2 ~ above from a double heating element The fan is microwaves cook very quickly and with active. It allows the optimal grilling of thickest considerable energy savings. Suitable for cooking without fat, they are also able to thaw and heat meats. Ideal for large cuts of meat. food without altering its original appearance and aroma. The microwave function can also be combined with conventional functions with all the

resulting advantages. Ideal for all types of food.

# •se•smeg

: 20 Cooking with the simultaneous use of the heating Microwave + grill element: The use of the grill 2 results in a perfect browning of the surface of the element in combination with fan and microwave food. The action of microwaves allows instead of supply. cooking in a short time the internal part of the food. Fan combined with traditional cooking, where Pizza function: Specific function for cooking pizza ## in a pan. It allows to obtain a pizza that is soft heat is generated from above and below, provides uniform heat. Adding the microwave inside and crispy outside with the topping function allows the same cooking results in less perfectly cooked, not dry and not burnt. time. Sous Vide Cooking: Steam function for perfect Steam cooking: it's a natural way of cooking for බ cooking of sous vide dishes. Enhances the taste of any kind of products, from vegetables to dishes and keeps their appearance and nutrients desserts, to preserve the nutritional and unaltered. Vacuum cooking (Sous Vide) made organoleptic properties of ingredients. Ideal for with the help of a steam oven is also an incredible cooking without fat, to heat up food without healthy and genuine type of cooking. The Sous drying. Steam is ideal for simultaneous cooking of Vide cooking technique allows heat to be meals that require different cooking times. efficiently transferred from the steam to the food, avoiding the loss of flavor due to oxidation and the evaporation of nutrients and moisture during cooking. Sous Vide cooking also allows better control over the cooking of food compared to traditional methods, ensuring uniform cooking results. It also allows cooking at a lower temperature than traditional cooking. Fun assisted + Steam: intense and homogeneous Circulaire + Steam: The addition of steam to 2 8 cooking. The fan is active and the heat comes thermoventilated cooking allows better from below and from above at the same time The preservation of the organoleptic properties of addition of steam allows better preservation of food. The heat comes from the back of the oven the organoleptic properties of food and improves and is distributed quickly and evenly The fan is the internal cooking of foods, which are more active. It is the perfect function for cooking all crunchy and digestible. Ideal for roast veal, roast types of dishes in a more delicate way It is also duck and for cooking whole fish. ideal for cooking on multiple levels without mixing smells and flavors. Ideal for preparing roasts, chicken and baked goods such as leavened cakes and bread. FUN\_STEAM\_OTHER\_WATER\_IN\_OUT\_72dpi Turbo: the heat comes from 3 directions: above. **R** below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking. Fan with grill pulsed steam: For creating a Circulaire pulsed steam: Provides extra moisture AND A 32 perfectly roasted meat joint. The extra moisture to food during cooking. Excellent for bread keeps the meat juicy and tender, whilst the heat baking. The moisture allows the bread dough to fro stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



	Circulaire + lower element pulsed steam: Ideal for reheating flans and quiches. This function will re- crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.	<b>B</b>	Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.
<b>B</b>	Turbo pulsed steam: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
ୢୢୗୄଽ	KEEP_WARM_72dpi		Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.
P	Temperature probe: with the temperature probe it is possible to perfectly cooking roasts, loins, meat of various cuts and sizes. In fact, the probe improve food cooking, thanks to the precise control of the temperature at the heart of the dish. The core temperature of the food is measured by a special sensor located inside the tip. When the instant temperature reaches the target temperature set by the user, cooking is finished		Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
<u>-</u>	Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.	i	SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.
(Jan	Option designed to solve any doubts More than 100 pop-ups, which can be triggered with a long touch on any icon, provide information on the use of the display and cooking.	<u>.5</u>	The oven cavity has 5 different cooking levels.
•	Smart Cooking is the perfect recipe for every occasion. Meat, fish, pasta, desserts, etc . up to 150 automatic recipes that allow to make any preparation in a single click. Decide your menu and then the oven takes care of the rest.	D	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
8 <u>4</u>	Multistep Cooking: It is possible to set up to 3 cooking phases during the same recipe. Cooking technology, function, time and temperature can be varied. At the end of a phase, the following will start automatically.	漸	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	°.	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

## •se•smeg

V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	68 IR	The capacity indicates the amount of usable space in the oven cavity in litres.
79 R	The capacity indicates the amount of usable space in the oven cavity in litres.	VIVO	The 6.3" VIVOscreen Max display is the most complete and advanced colour touch interface available for the automatic management of firing programmes such as Delta T, Multi-step and SameTime firing.
	Keep warm: the function allows to keep cooked food warm.	1	INSTANT GO: activating this option allow to start cooking immediately. Preheating is included in the cooking time and the oven will gradually reach the desired temperature Particularly suitable for frozen foods.
(((10-f)	Active and controlled microwave distribution The Microwave Stirrer fan distributes the waves evenly within the oven, reducing the need for a turntable.	131	The multi-point temperature probe has three detection points. This means that not only the core temperature is detected, but also the temperature in other areas. The oven will process all these data to avoid cooking unevenness. In this way each product can be cooked in a professional, restaurant style.
	The latest generation of LED lights, positioned over the entire height of the cavity, guarantee perfect multi-level visibility. No matter how many trays you put in the oven, the food inside will always be clearly visible and you can check the progress of the cooking process. In addition to the guaranteed efficiency, the LED lights also have a modern look and low energy consumption, saving up to 80% of costs and lasting 25 times longer than traditional halogen bulbs.		The perfect way to have a complete menu in a few simple steps with a considerable saving of time. The large cavity can accommodate multiple types of food at the same time, which can be cooked without any exchange of odors. The carefully studied thermodynamic flows ensure uniform cooking at every level. The SameTime algorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time
	The inverter technology allows to generate microwaves continuously and at the desired power The constant flow, without on and off cycles, allows you to precisely control the temperature, reduce times, avoids wasting energy and allows you to obtain excellent cooking, defrosting and re-heating results, thanks to the smaller difference between core and surface temperature in food		Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.
	Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits		DeltaT cooking The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. The oven offers the possibility to choose between three different deltaT cooking modes (slow, medium and fast) and to set any desired core temperature. A concentration of technology that makes it possible to obtain tender, juicy, healthy products of the highest auglity.

of the highest quality.