

SOP6302S2PN



| | |
|-----------------|-------------------|
| Category | 60cm Single Ovens |
| Product Family | Oven |
| Power supply | Electric |
| Heat source | Electric |
| Cooking method | Combi Steam |
| Galileo cavity | SteamOne |
| Cleaning system | Pyrolytic |
| EAN code | 8017709344269 |



Aesthetics

| | | | |
|-------------------|-----------------|-----------------|--------------------------|
| Aesthetics | Classic | Serigraphy type | Symbols |
| Colour | Matte Black | Door | With 2 horizontal strips |
| Finishing | Matte | Handle | Classic |
| Design | Flat | Handle Colour | Black |
| Material | Stainless steel | Logo | Silk screen |
| Glass Type | Eclipse | Control knobs | Classic |
| Serigraphy colour | Silver | Controls colour | Black |

Controls

| | | | |
|--|-----------|-----------------|-----------------------|
|  | | | |
| Display name | EvoScreen | Control setting | Knobs & touch buttons |
| Display technology | LCD | No. of controls | 2 |

Programs / Functions

| | |
|--------------------------|----|
| No. of cooking functions | 12 |
|--------------------------|----|

Traditional cooking functions

- | | | |
|---|--------------|-------------|
| Static | Fan assisted | Circulaire |
| Turbo (circulaire + bottom + upper + fan) | ECO | Large grill |
| Base | Pizza | |

Cooking functions with steam

- | | | |
|------------------------------|--------------------------|-------|
| Steam + bottom + upper + fan | Steam + circulaire + fan | Turbo |
| Grill + fan | | |

Other Steam functions

- | | | |
|---------------|--------------|-------------|
| Tank cleaning | Water outlet | Water input |
| Descaling | | |

Other functions

- | | | |
|-----------------|---------|---------------|
| Defrost by time | Proving | Stone cooking |
| BBQ | Air-Fry | Sabbath |

Cleaning functions

- | |
|-----------|
| Pyrolytic |
|-----------|

Options



| | | | |
|-------------------------------------|---------------------------------------|---------------------------------------|---|
| Time-setting options | Delay start and automatic end cooking | Other options | Keep warm, Eco light, Brightness, Tones |
| Minute minder | Yes | Cooking with probe thermometer | Yes |
| Timer | 1 | Showroom demo option | Yes |
| Controls Lock / Child Safety | Yes | Rapid pre-heating | Yes |

Technical Features



| | | | |
|--|------------------|---|-------------------|
| Capacity (Lt) | 68 l | Full glass inner door | Yes |
| Cavity | QS-Galileo | Removable inner door | Yes |
| Minimum Temperature | 25 °C | Total no. of door glasses | 4 |
| Maximum temperature | 280 °C | Soft Close hinges | Yes |
| Shelf positions | 5 | Soft Open | Yes |
| No. of lights | 2 | Chimney | Fixed |
| Light type | Halogen | Cooling system | Tangential |
| User-replaceable light | Yes | Cooling duct | Double |
| Light power | 40 W | Speed Reduction Cooling System | Yes |
| Light when door is opened | Yes | Door Lock During Pyrolysis | Yes |
| Lower heating element power | 1200 W | Steam range | 20 - 40% |
| Grill element - power | 1750 W | Usable cavity space dimensions (HxWxD) | 353x470x401 mm |
| Circular heating element - Power | 2000 W | Temperature control | Electronic |
| Heating suspended when door is opened | Yes | Cavity material | Easy clean enamel |
| Door opening type | Standard opening | Water loading | Drawer, manual |
| Door | Cool | Tank capacity | 0,8 l |
| Removable door | Yes | | |

Performance / Energy Label



| | | | |
|--|-----------|--|----------|
| Energy efficiency class | A+ | Energy consumption in forced air convection | 2,45 MJ |
| Net volume of the cavity | 68 litres | Energy consumption per cycle in fan-forced convection | 0,68 kWh |
| Energy consumption per cycle in conventional mode | 1,09 kWh | Number of cavities | 1 |
| Energy consumption in conventional mode | 3,92 MJ | Energy efficiency index | 81 % |

Accessories Included



| | | | |
|-----------------------------------|---|--------------------------|-------------------|
| Chrome shelf | 1 | Grill mesh | 1 |
| Enamelled tray (20mm) | 1 | Temperature probe | Yes, single point |
| Enamelled deep tray (50mm) | 1 | | |

Electrical Connection


| | | | |
|----------------|-----------|--------------------------|--------|
| Voltage | 220-240 V | Nominal power (W) | 3000 W |
|----------------|-----------|--------------------------|--------|

Plug
Current

No
13 A

Frequency (Hz)
Power supply cable
length

50/60 Hz
150 cm



Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



ET50

Enamelled tray, 50mm deep



GTT2

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



SFLK1

Child lock



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



ET20

Enamelled tray, 20mm deep



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTTV2

Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.












































STONE2

Rectangular pizza stone without handles, suitable for 45cm and 60cm wide ovens. Dimensions W42 x H1.8 x D37.5cm. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits



Symbols glossary

| | |
|--|---|
|  <p>A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.</p> |  <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p> |
|  <p>Combination steam: ovens can be used either as a steam oven, or as a traditional oven, or alternatively the two methods can be combined.</p> |  <p>Air cooling system: to ensure a safe surface temperatures.</p> |
|  <p>Defrost by time: with this function the time of thawing of foods are determined automatically.</p> |  <p>Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.</p> |
|  <p>Quadruple glazed: Number of glazed doors.</p> |  <p>Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.</p> |
|  <p>Electric</p> |  <p>Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.</p> |
|  <p>Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.</p> |  <p>Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.</p> |
|  <p>Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.</p> |  <p>Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.</p> |
|  <p>Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.</p> |  <p>Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.</p> |
|  <p>ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.</p> |  <p>Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.</p> |

- | | |
|---|--|
|  <p>Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.</p> |  <p>Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.</p> |
|  <p>Circular element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.</p> |  <p>FUN_STEAM_OTHER_WATER_IN_OUT_72dpi</p> |
|  <p>Circular element with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.</p> |  <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p> |
|  <p>The inner door glass: can be removed with a few quick movements for cleaning.</p> |  <p>Keep warm: This function allows you to keep precooked foods warm.</p> |
|  <p>Side lights: Two opposing side lights increase visibility inside the oven.</p> |  <p>Pyrolytic: Pyrolytic cleaning cycles can be selected as necessary to automatically clean the oven interior.</p> |
|  <p>Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops</p> |  <p>Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted</p> |
|  <p>Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.</p> |  <p>Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.</p> |
|  <p>The oven cavity has 5 different cooking levels.</p> |  <p>Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.</p> |
|  <p>To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.</p> |  <p>Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.</p> |
|  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |  <p>The new EVOscreen display is enhanced with new, optimised colour graphics: 5 touch buttons control functions and parameters in an extremely simple way.</p> |
|  <p>Manual water loading system: It is possible to load the tank in less than 40 seconds. The loading is done manually thanks to a special funnel included.</p> |  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |
|  <p>Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g</p> |  <p>Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.</p> |



Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire