

SOP6900TP



Category	60cm
Product Family	Oven
Power supply	Electric
Heat source	Electric
Cooking method	Thermo-ventilated
Galileo cavity	Traditional pyro
Cleaning system	Pyrolytic
EAN code	8017709312237



Aesthetics

Aesthetics	Victoria	Serigraphy type	Symbols
Colour	Cream	Door	With panel
Design	Rounded	Handle	Victoria
Material	Painted material	Handle Colour	Stainless steel
Type of steel	Brushed	Logo	Applied
Glass Type	Clear1	Control knobs	Victoria
Serigraphy colour	Black	Controls colour	Steel effect










Controls

			
Display name	DigiScreen	Control setting	Control knobs
Display technology	LED	No. of controls	2

Programs / Functions

No. of cooking functions	9
--------------------------	---




Traditional cooking functions

 Static	 Fan assisted	 Circulaire
		
Turbo (circulaire + bottom + upper + fan)	 ECO	 Large grill
 Fan grill (large)	 Base	 Fan assisted base











Cleaning functions

 Pyrolytic
--

Options

				
Time-setting options	Delay start and automatic end cooking		Other options	Keep warm, Eco light
Minute minder	Yes		Showroom demo option	Yes
Timer	1		Rapid pre-heating	Yes

Technical Features

											
Minimum Temperature	30 °C									Door opening type	Standard opening
Maximum temperature	280 °C									Door	Cool
Shelf positions	5									Removable door	Yes
No. of lights	2									Full glass inner door	Yes
Light type	Halogen									Removable inner door	Yes
User-replaceable light	Yes									Total no. of door glasses	4
Light power	40 W									Chimney	Fixed
Light when door is opened	Yes									Cooling system	Tangential
Lower heating element power	1200 W									Cooling duct	Double
Upper heating element - Power	1000 W									Door Lock During Pyrolysis	Yes
Grill element - power	1700 W									Usable cavity space dimensions (HxWxD)	353x470x401 mm
Large grill - Power	2700 W									Temperature control	Electronic
										Cavity material	Easy clean enamel

Circular heating element 2000 W
- Power

Performance / Energy Label



Energy efficiency class A
Net volume of the cavity 68 litres
Energy consumption per cycle in conventional mode 1.09 KWh
Energy consumption in conventional mode 3.92 MJ

Energy consumption in forced air convection 2.88 MJ
Energy consumption per cycle in fan-forced convection 0.80 KWh
Number of cavities 1
Energy efficiency index 95,2 %

Accessories Included


Chrome shelf 1

Enamelled deep tray (50mm) 1

Electrical Connection

Voltage 220-240 V
Current 13 A
Nominal power (W) 3000 W

Frequency (Hz) 50/60 Hz
Power supply cable length 150 cm



Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



GTT2F



ET50

Enamelled tray, 50mm deep



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ

Pizza shovel with fold away handle
width: 315mm length : 325mm



GTP2F



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



ET20

Enamelled tray, 20mm deep



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Alternative products



SOP6900TN



















Black












SOP6900TX

Stainless steel

Symbols glossary

	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Air cooling system: to ensure a safe surface temperatures.
	...		Quadruple glazed: Number of glazed doors.
	Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.		Electric
	A: Product drying performance, measured from A+++ to D / G depending on the product family		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
	Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.		Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.
	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.		Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.		Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.

-
- | | | | |
|--|---|---|--|
|  | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |  | The inner door glass: can be removed with a few quick movements for cleaning. |
|  | Keep warm: This function allows you to keep precooked foods warm. |  | Side lights: Two opposing side lights increase visibility inside the oven. |
|  | Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior. |  | Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes. |
|  | The oven cavity has 5 different cooking levels. |  | Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
|  | The capacity indicates the amount of usable space in the oven cavity in litres. | | |