

SOPU3104TPG



| | |
|-----------------|-------------------|
| Category | 30" |
| Product Family | Oven |
| Power supply | Electric |
| Heat source | ELECTRICITY |
| Cooking method | Thermo-ventilated |
| Cleaning system | Pyrolytic |
| EAN code | 8017709329389 |



Aesthetics

| | | | |
|---------------|--------------|-------------------|----------------------|
| Aesthetic | Linea | Serigraphy colour | Black |
| Colour | Neptune Grey | Serigraphy type | Symbols and wordings |
| Design | Flat | Door | Full glass |
| Material | Glass | Handle | Neptune 30" BIG |
| Type of steel | Brushed | Handle Colour | Inox |
| Glass Type | Clear | Logo | Silk screen |

Controls

| | | | |
|--------------------|---------------------|--------------------------|---|
| | VivoScreen | No. of display languages | 7 |
| Display name | VivoScreen | Display languages | Italiano, English (US), Français (CA), Español (MX), Português (PT), zh-CHS, zh-CHT |
| Display technology | TFT | | |
| Control setting | Advanced full touch | | |

Programs / Functions

| | |
|--------------------------|----|
| No. of cooking functions | 9 |
| Automatic programmes | 50 |
| Customisable recipes | 16 |

Traditional cooking functions



Static



Fan assisted



Circulaire



Turbo



Large grill



Fan grill (large)



Base



Circulaire + bottom



Pizza

Other functions



Defrost by time



Defrost by weight



Leavening



Stone cooking



BBQ



Air-Fry



Keep warm



Plate rack/warmer



Sabbath

Cleaning functions



Pyrolysis

Sabbath Mode

Yes

Options



Time-setting options

Delay start and automatic end cooking

Cooking with probe thermometer

Yes

Minute minder

Yes

Smart cooking

Yes

Timer

2

Showroom demo option

Yes

Controls Lock / Child Safety

Yes

Chronology

Yes, the last 10 functions utilized

Other options

Keep warm, Eco light, Language setting, Digital clock display, Tones

Rapid pre-heating

Yes

Technical Features



Capacity (Lt)

80-90 l

Circular heating element 2000 W

- Power

Minimum Temperature

30 °F

Heating suspended when door is opened

Yes

Maximum temperature

280 °F

Door opening type

Standard opening

No. of shelves

6

Door

Cool

N. of fans

1

Removable door

Yes

No. of lights

2

Full glass inner door

Yes

Light type

Halogen

Total no. of door glasses 4

User-replaceable light

Yes

Cooling system

Tangential

Light Power

40 W

Cooling duct

Double

Light when door is opened

Yes

| | | | |
|--------------------------------------|--------|---|-------------------|
| Lower heating element power | 1700 W | Speed Reduction Cooling System | Yes |
| Upper heating element - Power | 1200 W | Door Lock During Pyrolysis | Yes |
| Grill element - power | 1700 W | Usable cavity space dimensions (HxWxD) | 442x585x437 mm |
| Large grill - Power | 2900 W | Temperature control | Electronic |
| | | Cavity material | Ever clean Enamel |

Performance / Energy Label


| | | | | |
|--|--|--------------|--|----------|
|    | Energy efficiency class | A | Energy consumption in forced air convection | 3.06 MJ |
| | Net volume of the cavity | 3.99 cu. ft. | Energy consumption per cycle in fan-forced convection | 0.85 kWh |
| | Energy consumption per cycle in conventional mode | 1.00 kWh | Number of cavities | 1 |
| | Energy consumption in conventional mode | 3.60 MJ | Energy efficiency index | 83.3 % |

Accessories Included

| | | | | | |
|--|---|-----------------------------------|---|---|-------------------|
|  |  | Rack with back stop | 3 | Telescopic Guide rails, total Extraction | 2 |
| | | Enamelled deep tray (40mm) | 1 | Temperature probe | Yes, single point |
| | | Insert gird | 1 | | |

Electrical Connection

| | | | |
|----------------------|----------------------|----------------------------------|-----------|
| Voltage | 120/240 V | Current 2 | 20 A |
| Plug | Cable with free ends | Frequency (Hz) | 60 Hz |
| Nominal power | 5900 W | Power supply cable length | 59 1/16 " |
| Voltage 2 | 120/208 V | | |





Compatible Accessories

GT3T

Totally extractable telescopic guides





Alternative products



SOPU3304TPX

Stainless steel

Symbols glossary

| | | | |
|--|---|---|---|
|  | A: Product drying performance, measured from A+++ to D / G depending on the product family |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
|  | Air cooling system: to ensure a safe surface temperatures. |  | Defrost by time: Manual defrost function. At the end of the set duration, the function stops. |
|  | Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD - DESSERTS) After entering the weight of the food, the oven automatically defines the time required for proper defrosting. |  | Quadruple glazed: Number of glazed doors. |
|  | Automatic lighting deactivation: For greater energy savings, the lighting turns off automatically after one minute from the start of cooking. The option can be disabled via the settings menu. In this case the light will remain on for the entire duration of cooking. |  | Electric |
|  | Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking |  | Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven. |
|  | Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers. |  | Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes. |
|  | Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner. |  | Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking. |



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



KEEP_WARM_72dpi



PYROLYSIS - AUTOMATIC CLEANING
FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch. User adjustable function based on the level of dirt present in the oven.



Temperature probe: with the temperature probe it is possible to perfectly cooking roasts, loins, meat of various cuts and sizes. In fact, the probe improve food cooking, thanks to the precise control of the temperature at the heart of the dish. The core temperature of the food is measured by a special sensor located inside the tip. When the instant temperature reaches the target temperature set by the user, cooking is finished



Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.



The oven cavity has 6 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Pizza function: Specific function for cooking pizza in a pan. It allows to obtain a pizza that is soft inside and crispy outside with the topping perfectly cooked, not dry and not burnt.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.



Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.



Smart Cooking is the perfect recipe for every occasion. Meat, fish, pasta, desserts, etc. up to 150 automatic recipes that allow to make any preparation in a single click. Decide your menu and then the oven takes care of the rest.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

The 4.3" VIVOscreen display offers an advanced colour touch interface, for automatic management of firing programmes such as Delta T, Multi-step and SameTime firing.



Keep warm: the function allows to keep cooked food warm.



Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses; the smooth side for fish, seafood and vegetables.



Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits