

SOU330X1





Category30"Product familyOvenPower supplyElectricalPower supplyElectricity

Cooking method Thermo-ventilated
Cleaning system Self-cleaning
EAN code 8017709204501



Aesthetic

Aesthetics Classic

Color Stainless steel

Finishing Fingerprint-proof

Design Flat
Material Stainless steel
Stainless steel type Brushed
Glass type Eclipse
Silkscreen color Black

Silkscreen type Door

Handle Handle color

Logo

Control knobs

Controls color

Symbols and wordings

With 2 horizontal fascias

Classic Stainless steel

Embossed Classic

Stainless steel effect

Controls

Controls setting Knobs / buttons No. of controls 2

Programs / Functions

No. of cooking functions
Traditional cooking functions

True European convection

11



Turbo

· Lo

Large grill

Static

Circulaire + grill



Pizza



Other functions



Defrost by time



Defrost by weight



Proof





Dehydrate

Cleaning functions



Self-cleaning cycle

Options









Time-setting options

Delayed start and

automatic shut-off when

cooking ends

Minute minder Child safety lock Yes Yes Other options Rapid pre-heating Keep-warm

Yes

Technical Features



Fan









Minimum Temperature 86 °F Maximum temperature

554 °F

No. of shelves

No. of lights

Double fan

Lighting Light power

Halogen 20 W Yes

Light on when door is

open

3000 W Lower heating element

power

Upper heating element - 1032 W

Power

Large grill - Power 3500 W Circular heating element 1300 W

- Power

Circular heating element 1300 W

2 - Power

Heating elements stop

when door is opened

Removable door Yes Total no. of door glasses 4

Cooling system **Tangential**

Door lock during self-

cleaning cycle

Yes

1

Yes

Inner cavity dimensions

(HxWxD)

410x610x415; mm

Temperature control Electronic Cavity material Enamel

Performance / Energy Label



Volume of the cavity

3.64 cu. ft.

Energy consumption per convection cycle

Energy consumption in conventional mode

Energy consumption in forced air convection Energy consumption per cycle in fan-forced convection mode **Number of cavities**



Accessories Included





Rack with back and side $\,\,2\,\,$

stop

Enameled 0.8"-deep 1

tray

Insert grid 1


Telescopic Guide rails,

total Extraction

Temperature probe Yes, single-point probe

Electrical Connection

Voltage 120/240 V Current 16.9 A Nominal power 3535 W Voltage 120/208 V Current 17.5 A
Frequency 60 Hz
Power cord length 78 3/4 "





Compatible Accessories

STONE



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary

7	1
\circ	•
. —	

Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Defrost by weight: With this function the defrosting time is determined



Quadruple glazed: Number of glazed doors.



Electric



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire + grill: Circulaire with upper element or grill: Similar to fan with upper element with the added cooking speed of circulaire, ideal for dishes with a crispy topping. When used with the grill the food will brown more quickly.



True European Convection: The combination of the fan and circular heating element around it provides many benefits, including no preheat if cooking time is longer than 20 minutes, no flavor transfer when cooking different foods at the same time, lower energy consumption, and shorter cooking times. Suitable for all types of food preparations.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



KEEP_WARM_72dpi



Side lights: Two opposing side lights increase visibility inside the oven.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works





The oven cavity has 6 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.