SP791S-2

Sink material	Stainless steel
Type	Welded sink
No. of bowls	1
Drainer	Left
EAN code	8017709139315



Aesthetics

Aesthetic	Universale	**Building in type**	Standard
Colour	Stainless Steel	**Logo**	Embossed
Finishing	Brushed	**Alternative colours available**	Stainless steel PVD Black, Stainless steel PVD Copper, Stainless steel PVD Brass
Series	Alba	**Tap hole / precut tap hole**	1 Tap hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	400 x 340 x 210	210	80	Yes, traditional	Wall position	3.5"


Technical Features

Frame thickness	0,7 mm	**Tap hole diameter**	35 mm
Frame depth (mm)	13	**Drainer inclination**	1 °
Dimensions of the product (mm)	220x790x500 mm	**Gasket type**	Sealing paste
		No. of clips	6
Cutout dimension topmount (mm)	770 x 480 mm	**Type of clips**	Standard
Height from kitchen top	8 mm	**Possibility to install waste disposal**	Yes
Base unit size	45 cm		

Tap hole	1

Accessories included

Accessories for installation	Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.