

# SP792-2

Sink material

Stainless steel

Type

Welded sink

No. of bowls

2

EAN code

8017709139322



## Aesthetics



Aesthetic

Universale

Building in type

Standard

Series

Alba

Logo

Embossed

Colour

Stainless steel

Tap hole / precut tap hole

1 Tap hole

Finishing

Brushed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	340 x 400 x 210	210	80	Yes, traditional	Wall position	3.5"
LH Bowl	Traditional	0.7	340 x 400 x 210	210	80		Wall position	3.5"

## Technical Features



Frame thickness

0,7 mm

Tap hole

1

Frame depth (mm)

13

Tap hole diameter

35 mm

Dimensions of the product (mm)

210x790x500 mm

Dividing wall width

30 mm

Cutout dimension

770 x 480 mm

Gasket type

Sealing paste

topmount (mm)

No. of clips

6

Type of clips

Standard

Height from kitchen top

8 mm

Base unit size

80 cm



## Not included accessories



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### STABMIX

Tap stabiliser



### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



### RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### 3713

Siphon double bowls sinks (dishwasher connection included)



### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



### CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Symbols glossary (TT)

---



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets