

SP861D

Sink material Stainless steel Welded sink Type

No. of bowls 1 Drainer Right

8017709015480 **EAN** code



Aesthetics



Universale Building in type **Aesthetic** Standard Colour Stainless steel Logo **Embossed Finishing** Brushed Tap hole / precut tap 1 Tap hole

hole Series Alba

45 cm

	Bowl type LH	Bowl thickness LH (mm)	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	0.7	340 x 400 x 210	210	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness 0,7 mm Tap hole 1 Frame depth (mm) 13 Tap hole diameter 35 mm

Dimensions of the 220x860x500 mm **Drainer inclination** product (mm) Gasket type

Sealing paste 840 x 480 mm **Cutout dimension** No. of clips

topmount (mm)

Type of clips Standard Height from kitchen top 8 mm

Accessories included


Base unit size

SMEG SPA 22/11/2025



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 22/11/2025



Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)

CB34



Single wooden chopping board to fit STD radius 340 x 400 mm bowl

COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

STABMIX



Tap stabiliser

CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

RND1V



Rondò waste kit 1 bowl with standard overflow

SMEG SPA 22/11/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

SMEG SPA 22/11/2025