

SP861S

Sink material Stainless steel Welded sink Type

No. of bowls 1 Drainer Left

EAN code 8017709016029



Aesthetics



Universale Building in type **Aesthetic** Standard Series Alba Logo **Embossed** Colour Stainless steel Tap hole / precut tap 1 Tap hole

hole **Finishing** Brushed

45 cm

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	340 x 400 x 210	210	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness 0,7 mm Tap hole 1 Frame depth (mm) 13 Tap hole diameter 35 mm

Dimensions of the 220x860x500 mm **Drainer inclination** product (mm)

Sealing paste Gasket type 840 x 480 mm **Cutout dimension**

No. of clips

topmount (mm) Type of clips Standard Height from kitchen top 8 mm

Accessories Included


Base unit size

SMEG SPA 26/4/2024



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 26/4/2024



Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3712

Siphon single bowl sinks (dishwasher connection included)



STABMIX

Tap stabiliser



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



CB34

Single wooden chopping board to fit STD radius 340 x 400 mm bowl



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

SMEG SPA 26/4/2024



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets

SMEG SPA 26/4/2024