SPR24UGGX

Range size	24"
Main oven	Gas with grill
EAN code	8017709301446



Aesthetic

Front panel color	Stainless steel	**Control setting type**	Control knobs
Aesthetics	Professional	**Control knobs**	Pro-style control knobs
Color	Stainless Steel	**No. of controls**	6
Finishing	Satin	**Handle**	Robust knurled handle
Series	Professional	**Handle color**	Brushed stainless steel
Cooktop color	Black enamel	**Storage compartment**	Storage drawer
Grates	Cast Iron		

Programs / Functions

No. of cooking functions 3

Traditional cooking functions

Large grill

Bottom

Convection bottom

Other functions

Defrost by time

Cooktop technical features

Cooking zones 4

Front-left - 12000 BTU

Rear-left - 10000 BTU

Rear-right - 10000 BTU
Front-right - 18000 BTU

Automatic gas ignition	Yes	**Burner caps**	Enameled matte black
Gas safety valves	Yes		

Main Oven Technical Features



No. of lights	1	**Removable door**	Yes
Fan number	1	**Removable inner door**	Yes
Volume	2.79 cu. ft.	**Total no. of door glasses**	3
Cavity material	EverClean enamel	**Cooling system**	Tangential
No. of shelves	5	**Grill type**	Gas
Light type	Halogen	**Soft Close system**	Yes
Light Power	40 W		

Main oven options


Minimum Temperature	250 °F	**Maximum temperature**	500 °F

Included accessories

Oven wire rack	2

Electrical Connection

Current	1 A	**Power cord length**	59 1/16 "
Circuit breaker	15 A	**Frequency**	60 Hz
Voltage	120 V	**Plug**	(B) NEMA 5-15P
Type of electric cable installed	Yes, Single phase		


24"
2"
3" 14/16
1" 9/16
2" 3/16
35" 9/16 - 36" 13/16
31" 11/16
24" 13/16
2" 8/16
2" 8/16
5" 8/16
8"
26"
1"

Compatible Accessories



GRM

Gas hobs moka support



GTP

Partial-extension telescopic guides Length: 14" Extraction: 11 1/4" Material: Stainless steel AISI 430 polished



KITTKSPR24

Plinth, 3 sides, 900mm , SPR cookers 24'', black



WOKGHU

Cast-Iron WOK Support

Alternative products



SPR24UGGAN

Color: Anthracite

Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 5 different cooking levels.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control



Defrost by time: with this function the time of thawing of foods are determined automatically.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



The inner door glass: can be removed with a few quick movements for cleaning.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



The capacity indicates the amount of usable space in the oven cavity in litres.