

SPR30UGGX

| | |
|--------------|----------------|
| Range size | 30" |
| Cooktop type | Gas |
| Main oven | Gas with grill |
| EAN code | 8017709304423 |



Aesthetic



| | | | |
|-----------------------------|-----------------------|-------------------------|-------------------------|
| Series | Professional | Control knobs | Pro-style control knobs |
| Color | Stainless steel | No. of controls | 6 |
| Finishing | Satin | Silkscreen color | Black |
| Front panel color | Stainless steel | Display | Touch |
| Logo position | Fascia below the oven | Handle | Robust knurled handle |
| Cooktop color | Black enamel | Handle color | Brushed stainless steel |
| Grates | Cast Iron | Feet | Stainless steel |
| Control setting type | Control knobs | | |

Programs / Functions

| | |
|--------------------------------------|---|
| No. of cooking functions | 3 |
| Traditional cooking functions | |

| | | |
|--|--|---|
|  Large grill |  Bottom |  Convection bottom |
|--|--|---|

Other functions

| |
|--|
|  Defrost by time |
|--|

Cooktop technical features

| | |
|----------------------|--------------------|
| Cooking zones | 4 |
| Front-left | 3510 W - 12000 BTU |

Rear-left - 2930 W - 10000 BTU
Rear-right - 2930 W - 10000 BTU
Front-right - 5270 W - 18000 BTU

Automatic gas ignition Yes
Gas safety valves Yes

Burner caps Enameled matte black

Main Oven Technical Features



No. of lights 1
Fan number 1
Volume 4.56 cu. ft.
Cavity material EverClean enamel
No. of shelves 6
Light type Halogen
Light Power 40 W

Light on when door is open Yes
Removable door Yes
Total no. of door glasses 3
Cooling system Tangential
Grill type Gas
Soft Close system Yes

Main oven options

Minimum Temperature 250 °F

Maximum temperature 500 °F


Included accessories

Oven wire rack 2

Electrical Connection

Plug (B) NEMA 5-15P
Current 1 A
Circuit breaker 15 A
Voltage 120 V

Type of electric cable installed Yes, Single phase
Power cord length 59 1/16 "
Frequency 60 Hz
Terminal block 3 pins



Compatible Accessories



GRM

Gas hobs moka support



KITTKSPR30

Plinth, 3 sides, 900mm , SPR cookers
30", black



SFLK1

Child lock



GT3T



PALPZ

Pizza shovel with fold away handle
width: 315mm length : 325mm



WOKGHU

Cast-Iron WOK Support


















Alternative products



SPR30UGGAN

Color: Stainless steel

Symbols glossary

| | | | |
|--|---|---|--|
|  | Heavy duty cast iron pan stands: for maximum stability and strength. |  | Knobs control |
|  | Air cooling system: to ensure a safe surface temperatures. |  | Defrost by time: with this function the time of thawing of foods are determined automatically. |
|  | ... |  | Triple glazed doors: Number of glazed doors. |
|  | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |  | Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning. |
|  | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |  | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. |
|  | Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens. |  | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |
|  | Side lights: Two opposing side lights increase visibility inside the oven. |  | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
|  | The oven cavity has 6 different cooking levels. |  | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | | |

Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Touch control

Easy and intuitive timer setting with a single touch

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Soft close

The door is equipped with a specific system for silent closing

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat