

SPR30UIMX

Range size Oven energy source Cooktop type Main oven Cleaning system - Main oven EAN code

30" Electricity Induction Thermo-ventilated VaporClean 8017709308964



Aesthetic





Series Professional Design Squared design Color Stainless steel Front panel color Stainless steel Control panel finish Stainless steel Logo Assembled Fascia below the oven Logo position

Cooktop color Stainless steel Control setting type Control knobs **Control knobs** Pro-style control knobs

Controls color Stainless steel No. of controls

Silkscreen color Black Display Touch

Handle Robust knurled handle Handle color Brushed stainless steel

Programs / Functions

No. of cooking functions Traditional cooking functions

Static

Fan-assisted

True European convection

Small grill

Large grill

Large grill + Fan

Convection bottom



Pizza

Other functions



Defrost by time

SMEG SPA 12/11/2024

8



Cleaning functions



VaporClean

Cooktop options



Multizone Option Yes

Cooktop technical features







Cooking zones 4

Front-left - 1300 W - Booster 1400 W Rear-left - 2300 W - Booster 3000 W Front-right - 2300 W - Booster 3000 W Rear-right - 1300 W - Booster 1400 W

Cooking zones with 4

Booster

Number of Flexible 1

zones

Booster power left 3700 W

Multizone

Automatic switch-off in Yes

case of over-heating

Automatic pan detection

Selected zone indicator Yes Residual heat indicator Yes

Yes

Main Oven Technical Features















No. of lights 2 Fan number 1

Volume 4.56 cu. ft.

Cavity material EverClean enamel

No. of shelves 6
Shelves type Metal racks
Light type Halogen
Light Power 40 W

Time setting Minute minder

Full-glass inner door Yes

Total no. of door glasses 3

Cooling system Tangential Bottom heating element 1700 W

- Power

Upper heating element - 1200 W

Power

Grill power 1700 W Large grill - Power 2900 W Circular heating element 2700 W

- Power

Grill type Electric
Soft Close system Yes

Main oven options

Minimum Temperature 151 °F

Maximum temperature 500 °F



Accessories included for main oven and cooktop

Oven wire rack 2 Meat Probe 1

Power cord length

Frequency

Terminal block

47 1/4 "

60 Hz

3 pins


Electrical Connection

Plug (B) NEMA 14-50P

Circuit breaker 40 A Voltage 208/240 V

Type of electric cable Yes, Double phase

installed





Not included accessories

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1
Child lock

GRILLPLATE

PRTX



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

BBQ9







SCRP

Induction and ceramic hobs and teppanyaki scraper



KITTKSPR30



Plinth, 3 sides, 900mm, SPR cookers 30", black

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



True European Convection: The combination of the fan and circular heating element around it provides many benefits, including no preheat if cooking time is longer than 20 minutes, no flavor transfer when cooking different foods at the same time, lower energy consumption, and shorter cooking times. Suitable for all types of food preparations.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.





Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 6 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



...



Knobs control

Automatic merge of zones for a bigger area



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Soft close

The door is equipped with a specific system for silent closing

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)