

SPR36UGGX

| | |
|--------------|----------------|
| Range size | 36" |
| Cooktop type | Gas |
| Main oven | Gas with grill |
| EAN code | 8017709304805 |






Aesthetic



| | | | |
|-------------------|-----------------------|----------------------|-------------------------|
| Front panel color | Stainless steel | Control setting type | Control knobs |
| Logo | Assembled | Control knobs | Pro-style control knobs |
| Color | Stainless steel | No. of controls | 8 |
| Logo position | Fascia below the oven | Silkscreen color | Black |
| Finishing | Satin | Display | Touch |
| Series | Professional | Handle | Robust knurled handle |
| Cooktop color | Black enamel | Handle color | Brushed stainless steel |
| Grates | Cast Iron | Feet | Stainless steel |

Programs / Functions

| | |
|-------------------------------|---|
| No. of cooking functions | 3 |
| Traditional cooking functions | |

| | | |
|--|--|---|
|  Large grill |  Bottom |  Convection bottom |
|--|--|---|

Other functions

| |
|--|
|  Defrost by time |
|--|

Cooktop technical features

| | |
|---------------|-----------|
| Cooking zones | 6 |
| Front-left - | 18000 BTU |

Rear-left - 10000 BTU
 Front-center - 10000 BTU
 Rear-center - 10000 BTU
 Front-right - 18000 BTU
 Rear-right - 10000 BTU

| | | | |
|-------------------------------|-----|--------------------|----------------------|
| Automatic gas ignition | Yes | Burner caps | Enameled matte black |
| Gas safety valves | Yes | | |

Main Oven Technical Features



| | | | |
|------------------------|------------------|-----------------------------------|------------|
| No. of lights | 1 | Light on when door is open | Yes |
| Fan number | 1 | Removable door | Yes |
| Volume | 4.45 cu. ft. | Removable inner door | Yes |
| Cavity material | EverClean enamel | Total no. of door glasses | 3 |
| No. of shelves | 5 | Cooling system | Tangential |
| Light type | Halogen | Grill type | Gas |
| Light Power | 40 W | Soft Close system | Yes |

Main oven options


| | | | |
|----------------------------|--------|----------------------------|--------|
| Minimum Temperature | 250 °F | Maximum temperature | 500 °F |
|----------------------------|--------|----------------------------|--------|

Included accessories

| | |
|-----------------------|---|
| Oven wire rack | 2 |
|-----------------------|---|

Electrical Connection

| | | | |
|---|-------------------|--------------------------|----------------|
| Current | 1 A | Power cord length | 59 1/16 " |
| Circuit breaker | 15 A | Frequency | 60 Hz |
| Voltage | 120 V | Terminal block | 3 pins |
| Type of electric cable installed | Yes, Single phase | Plug | (B) NEMA 5-15P |



Compatible Accessories

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BN920

Enamelled tray 90cm cavity, 20mm deep



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



GT3T



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



STONE2

Rectangular pizza stone without handles, suitable for 45cm and 60cm wide ovens. Dimensions W42 x H1.8 x D37.5cm. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits



WOKGHU

Cast-Iron WOK Support



BBQ9

teflon-coated aluminum grid for 90 cm cavity



BN940

Enamelled tray 90 cm, 40 mm deep



GRM

Gas hobs moka support



KITTKSPR36

Plinth, 3 sides, 900mm , SPR cookers 30", black



SFLK1

Child lock



STONE9

Rectangular pizza stone, suitable for 90cm wide ovens. Dimensions W64 x H2.3 x D37.5cm. Ideal for cooking pizza with the same aroma and crispness as are typical of a wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies and flans or biscuits






















Alternative products



SPR36UGGAN

Color: Anthracite

Symbols glossary

| | | | |
|--|--|---|---|
|  | Heavy duty cast iron pan stands: for maximum stability and strength. |  | Knobs control |
|  | Air cooling system: to ensure a safe surface temperatures. |  | Defrost by time: with this function the time of thawing of foods are determined automatically. |
|  | Triple glazed doors: Number of glazed doors. |  | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |
|  | Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning. |  | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |
|  | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. |  | Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens. |
|  | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |  | The inner door glass: can be removed with a few quick movements for cleaning. |
|  | Side lights: Two opposing side lights increase visibility inside the oven. |  | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
|  | The oven cavity has 5 different cooking levels. |  | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | The capacity indicates the amount of usable space in the oven cavity in litres. |
|  | ... | | |