

# SPR864BGH



Product Family	Hob
Built-in type	Traditional
Dimensions	60 cm
Power supply	Gas
Type	Gas
EAN code	8017709186371



## Aesthetics



Aesthetic	Colonial
Colour	White
Material	Enamelled
Frame	No
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Gold
Components finishing	Gold
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Gold

## Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

## Options



Corte padrão	478-482x555-560 mm
--------------	--------------------

## Technical Features

**UR**

Left - Gas - UR - 3.90 kW

Rear-centre - Gas - Semi Rapid - 1.70 kW

Front-centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW


<b>Gas safety valves</b>	Yes	<b>Automatic Ignition</b>	Yes
--------------------------	-----	---------------------------	-----

## Electrical Connection

<b>Plug</b>	No	<b>Frequency (Hz)</b>	50/60 Hz
<b>Electrical connection rating (W)</b>	1 W	<b>Comprimento do cabo de alimentação</b>	120 cm
<b>Voltage (V)</b>	220-240 V	<b>Ficha elétrica</b>	No

## Gas Connection






<b>Gas Type</b>	G20 Natural gas	<b>Other gas connections provided</b>	Conical
<b>Ligação ao gás</b>	Ligação ao gás cilíndrica	<b>Gas connection rating (W)</b>	9300 W
<b>Other gas nozzles included</b>	G30 GPL Liquid gas		



---

## Symbols glossary

---

- |  |  |   |  |
|--|--|---|--|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões  |  | CUT_OUT_STANDARD_72dpi   |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência.            |   |  |