


SR375LSA



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
70/75 cm
Gas
Gas
8017709294533



Aesthetics



Aesthetic
Colour
Finishing
Material
Type of steel
Pan stands
Type of control setting
Control knob position
No. of controls
Controls colour
Serigraphy colour

Classica
Stainless steel
Satin
Stainless Steel
Brushed
Cast iron
Control knobs
Front
6
Silver
Grey

Programme / Functions

Total no. of cook zones	5
No. of gas cook zones	5

Options



Worktop Cut-Out 478-482x555-560 mm

Technical Features

UR

Left - Gas - 2UR (dual) - 5.00 kW
 Rear-centre - Gas - AUX - 1.10 kW
 Front-centre - Gas - AUX - 1.10 kW
 Rear-right - Gas - Rapid - 2.60 kW
 Front-right - Gas - Semi Rapid - 1.70 kW
 Gas - Semi Rapid

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase		

Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	11200 W



Symbols glossary (TT)



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Heavy duty cast iron pan stands: for maximum stability and strength.



CUT_OUT_STANDARD_72dpi



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control