

SR375LSA



Product Family	Hob
Built-in type	Traditional
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709294533



Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Acabamento	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Silver
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options



Corte padrão	478-482x555-560 mm
--------------	--------------------

Technical Features

UR

Left - Gas - 2UR (dual) - 5.00 kW
Rear-centre - Gas - AUX - 1.10 kW
Front-centre - Gas - AUX - 1.10 kW
Rear-right - Gas - Rapid - 2.60 kW
Front-right - Gas - Semi Rapid - 1.70 kW
Gas - Semi Rapid
Gas safety valves Yes

Automatic Ignition Yes

Accessories Included

Cast iron wok support 1

Electrical Connection


Plug No
Electrical connection rating (W) 1 W
Voltage (V) 220-240 V
Type of electric cable Single phase

Frequency (Hz) 50/60 Hz
Comprimento do cabo de alimentação 120 cm
Ficha elétrica No






Gas Connection

Gas Type G30 GPL Liquid gas
Ligação ao gás Ligação ao gás cilíndrica

Other gas connections provided Conical
Gas connection rating (W) 11200 W



Symbols glossary

- | | | | |
|--|--|---|---|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | CUT_OUT_STANDARD_72dpi |  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |
|  | Controle dos botões | | |