

SR60GHS




Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709179526



Aesthetics



Aesthetic
Colour
Acabamento
Material
Type of steel
Frame
Pan stands
Pan Stand Coating
Burners
Burners Material
Burner Coating
Type of control setting
Control knob position
No. of controls
Controls colour
Illuminated control knobs
Control knob protection

Serigraphy colour
Alternative colours available

Selezione
Stainless steel
Satin
Stainless Steel
Brushed
No
Cast iron
No
Smeg Contemporary
Alluminium
No
Control knobs
Front
4
Silver
No
No

Black
No

Program / Functions

No. of gas cook zones 4
Total no. of cook zones 4

Options



Multizone Option	No	Corte padrão	478-482x555-560 mm
-------------------------	----	---------------------	--------------------

Technical Features



Left - Gas - UR - 3.90 kW

Rear-centre - Gas - Semi Rapid - 1.70 kW

Front-centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW

Gas safety valves	Yes	Automatic Ignition	Yes
--------------------------	-----	---------------------------	-----

Accessories Included


Other accessories	No
--------------------------	----

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	9300 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



6MPF2465X

Conjunto de botões para placa - Seleção



CC60NE

Tampa preta adequada para placas de 60 cm com controles frontais.



TPK

Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki



6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho



BB3679

Grelha de ferro fundido








CC60X

Tampa de vidro com estrutura de aço inoxidável adequada para placas de 60 cm com controles frontais.



Symbols glossary

- | | | | |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões |  | CUT_OUT_STANDARD_72dpi |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. | | |