

SR64S



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709175764



Aesthetics



Aesthetic
Colour
Material
Pan stands
Burners
Burners Material
Type of control setting
Control knob position
No. of controls
Controls colour
Control knob protection
Logo

Selezione
Stainless steel
Stainless Steel
Enamelled flat
Smeg Contemporary
Alluminium
Control knobs
Lateral
4
Silver
Yes
Embossed

Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

Options



Worktop Cut-Out 478-482x555-560 mm

Technical Features

UR

Front-left - Gas - UR - 4.10 kW
 Rear-left - Gas - Semi Rapid - 1.80 kW
 Rear-right - Gas - Semi Rapid - 1.80 kW
 Front-right - Gas - AUX - 1.10 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase	Plug	Not present

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8600 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories



GRC60





Cast Iron pan stands suitable for 60 cm hobs.



WOKGHU

Cast iron WOK Support

Symbols glossary

	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.		Knobs control
	CUT_OUT_STANDARD_72dpi		Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.