

SR64S



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709175764



Aesthetics



Aesthetic	Selezione
Colour	Stainless steel
Material	Stainless Steel
Pan stands	Enamelled flat
Burners	Smeg Contemporary
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Lateral
No. of controls	4
Controls colour	Silver
Control knob protection	Yes

Programme / Functions

Total no. of cook zones	4
No. of gas cook zones	4

Options



Worktop Cut-Out 478-482x555-560 mm

Technical Features

UR

Front-left - Gas - UR - 4.10 kW
 Rear-left - Gas - Semi Rapid - 1.80 kW
 Rear-right - Gas - Semi Rapid - 1.80 kW
 Front-right - Gas - AUX - 1.10 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Plug	Not present	Type of electric cable installed	Yes, Single phase
Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8600 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



BB3679
Cast Iron griddle



WOKGHU
Cast iron WOK Support



TPK
Stainless steel grill plate to cook
Teppanyaki dishes



7520X
Glass cover suitable for 60 cm side
control hobs.



7520NE
Black cover suitable for 60 cm side
control hobs.







7520EB
White cover suitable for 60 cm side
control hobs.



GRC60
Cast Iron pan stands suitable for 60
cm hobs.

Symbols glossary (TT)

	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets		Knobs control
	CUT_OUT_STANDARD_72dpi		Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.