

SR64S



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709175764



Aesthetics



Aesthetic
Colour
Material
Pan stands
Burners
Burners Material
Type of control setting
Control knob position
No. of controls
Controls colour
Control knob protection

Selezione
Stainless steel
Stainless Steel
Enamelled flat
Smeg Contemporary
Alluminium
Control knobs
Lateral
4
Silver
Yes

Programme / Functions

Total no. of cook zones 4
No. of gas cook zones 4

Options



Worktop Cut-Out 478-482x555-560 mm

Technical Features

UR

Front-left - Gas - UR - 4.10 kW

Rear-left - Gas - Semi Rapid - 1.80 kW

Rear-right - Gas - Semi Rapid - 1.80 kW

Front-right - Gas - AUX - 1.10 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Plug	Not present	Type of electric cable installed	Yes, Single phase
Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8600 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



BB3679

Cast Iron griddle



WOKGHU

Cast iron WOK Support



TPK

Stainless steel grill plate to cook
Teppanyaki dishes



7520X

Glass cover suitable for 60 cm side
control hobs.



7520NE

Black cover suitable for 60 cm side
control hobs.



7520EB

White cover suitable for 60 cm side
control hobs.



GRC60

Cast Iron pan stands suitable for 60
cm hobs.

Symbols glossary (TT)



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



CUT_OUT_STANDARD_72dpi



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control