

SR775AO



Product Family	Hob
Built-in type	Traditional
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709140854



Aesthetics



Aesthetic	Cortina
Colour	Anthracite
Material	Enamelled
Frame	No
Pan stands	Cast iron
Pan Stand Coating	No
Burners	Smeg Contemporary
Burners Material	Aluminium
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Black
Components finishing	Antique brass
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey
Alternative colours available	Cream

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options



Corte padrão

478-482x555-560 mm

Technical Features



Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - Rapid - 2.60 kW

Central - Gas - 2UR (dual) - 5.00 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Other accessories No

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	11900 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



6MPF2465X

Conjunto de botões para placa - Seleção



CC70NE



Tampa preta adequada para placas de 70 cm com controles frontais.

GRM



Suporte moka para placas a gás

TPK



Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki

6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho



BB3679



Grelha de ferro fundido

CC70X



Tampa de vidro com estrutura de aço inoxidável adequada para placas de 70 cm com controles frontais.

GRW








Suporte para wok

WOKGHU



Suporte de ferro fundido para WOK

Symbols glossary

- | | | | |
|--|--|---|--|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões |  | CUT_OUT_STANDARD_72dpi |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. | | |