

SR775PO



Product Family	Hob
Built-in type	Traditional
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709140847



Aesthetics



Aesthetic	Cortina
Colour	Cream
Material	Enamelled
Pan stands	Cast iron
Pan Stand Coating	No
Burners	Smeg Contemporary
Burners Material	Aluminium
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Cream
Components finishing	Antique brass
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options



Corte padrão

478-482x555-560 mm

Technical Features

UR

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - Rapid - 2.60 kW

Central - Gas - 2UR (dual) - 5.00 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW

Gas safety valves Yes

Automatic Ignition

Yes

Electrical Connection

Plug No

Electrical connection rating (W) 1 W

Voltage (V) 220-240 V

Frequency (Hz) 50/60 Hz

Comprimento do cabo de alimentação 120 cm

Ficha elétrica No

Gas Connection


Gas Type G20 Natural gas

Ligação ao gás Ligação ao gás cilíndrica

Other gas nozzles included G30 GPL Liquid gas

Other gas connections provided Conical

Gas connection rating (W) 11900 W



Compatible Accessories

6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



6MPF2465X

Conjunto de botões para placa - Seleção



CC70NE



Tampa preta adequada para placas de 70 cm com controles frontais.

GRM



Suporte moka para placas a gás

TPK



Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki

6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho



BB3679



Grelha de ferro fundido

CC70X



Tampa de vidro com estrutura de aço inoxidável adequada para placas de 70 cm com controles frontais.

GRW



Suporte para wok

WOKGHU



Suporte de ferro fundido para WOK

Symbols glossary



Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



CUT_OUT_STANDARD_72dpi



Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência.



Controle dos botões

Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Enamelled

Long-lasting protection against rust and wear: the enamelled metal top offers strength and durability thanks to the enamel that prevents corrosion, oxidation, and signs of aging.

Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

5 powerful burners for a dynamic kitchen: offer ample space and flexibility to cook multiple dishes at once, simplifying meal prep and improving the cooking experience.

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.