

# SRV5640



Product Family	Hob
Built-in type	Traditional
Dimensions	60 cm
Power supply	Gas
Type	Gas
EAN code	8017709325343



## Aesthetics



Aesthetic	Contemporânea
Colour	Stainless steel
Acabamento	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Enamelled flat Wave
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Silver
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

## Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

## Options



Corte padrão	478-482x555-560 mm
--------------	--------------------

## Technical Features

UR

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - UR - 3.30 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW

Gas safety valves                      Yes    Automatic Ignition                      Yes

## Electrical Connection

Plug    No    Ficha elétrica                              No


Comprimento do cabo  
de alimentação                      120 cm

## Gas Connection

Gas Type                                      G20 Natural gas                              Other gas connections                      Conical

Ligação ao gás                              Ligação ao gás cilíndrica

Gas connection rating  
(W)    7800 W



## Compatible Accessories

### 6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



### 6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



### 6MP800P




### BB3679

Grelha de ferro fundido



### C60CNE-2

Tampa preta adequada para placas de 60 cm com controles frontais.



### GGB60

Suporte de ferro fundido para panelas adequado para placas de 60 cm.



### TPK

Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki



### 6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



### 6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho




### 6MPF2465X

Conjunto de botões para placa - Seleção



### C60CEB/1

Cobertura branca adequada para placas de 60 cm controles frontais.



### C60CX/1

Tampa de vidro adequada para placas de 60 cm com controles frontais.



### GRW





Suporte para wok



---

## Symbols glossary

---

	Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha		Controle dos botões
	CUT_OUT_STANDARD_72dpi		Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência.