# SRV596GH5SA

| | |
|---|---|
| **Product Family** | Hob |
| **Built-in type** | Traditional |
| **Dimensions** | 90 cm |
| **Power supply** | Gas |
| **Type** | Gas |
| **EAN code** | 8017709359836 |



## Aesthetics

| | |
|---|---|
| **Aesthetic** | Classica |
| **Colour** | Stainless steel |
| **Finishing** | Satin |
| **Material** | Stainless Steel |
| **Type of steel** | Brushed |
| **Pan stands** | Cast iron |
| **Type of control setting** | Control knobs |
| **Control knob position** | Front |
| **No. of controls** | 6 |
| **Controls colour** | Silver |
| **Logo** | Embossed |

## Program / Functions

| | |
|---|---|
| **No. of gas cook zones** | 5 |
| **Total no. of cook zones** | 5 |

## Options

| | |
|---|---|
| **Worktop Cut-Out** | 478-482x839-844 mm |

## Technical Features

UR

Front-left - Gas - AUX - 1.10 kW
Rear-left - Gas - Rapid - 3.10 kW
Central - Gas - 2UR (dual) - 5.00 kW
Rear-right - Gas - Semi Rapid - 1.70 kW
Front-right - Gas - Semi Rapid - 1.70 kW


| | | | |
|---|---|---|---|
| **Gas safety valves** | Yes | **Automatic Ignition** | Yes |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Power supply cable length** | 120 cm | **Plug** | Not present |

## Gas Connection

| | | | |
|---|---|---|---|
| **Gas Type** | G30 GPL Liquid gas | **Gas connection rating (W)** | 12400 W |
| **Gas connection** | Cilindrical | **Gas connection distance, horizontal** | 86 mm |
| **Other gas connections provided** | Conical | **Gas connection distance, vertical** | 45 mm |



## Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Heavy duty cast iron pan stands: for maximum stability and strength.




Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control