

# SRV864RAGH



Product Family	Hob
Built-in type	Traditional
Dimensions	60 cm
Power supply	Gas
Type	Gas
EAN code	8017709233372



## Aesthetics



Aesthetic	Colonial
Colour	Copper
Material	Enamelled
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Copper
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Black

## Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

## Options



Corte padrão	478-482x555-560 mm
--------------	--------------------

## Technical Features

**UR**

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - UR - 3.30 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW


Gas safety valves                      Yes    Automatic Ignition                      Yes

## Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

## Gas Connection

Gas Type	G20/G25 natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	7800 W
Other gas nozzles included	G30 GPL Liquid gas		



## Compatible Accessories

### 6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



### 6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



### 6MP800P




### BB3679

Grelha de ferro fundido



### C60CNE-2

Tampa preta adequada para placas de 60 cm com controles frontais.



### GGB60

Suporte de ferro fundido para panelas adequado para placas de 60 cm.



### TPK

Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki



### 6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



### 6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho




### 6MPF2465X

Conjunto de botões para placa - Seleção



### C60CEB/1

Cobertura branca adequada para placas de 60 cm controles frontais.



### C60CX/1

Tampa de vidro adequada para placas de 60 cm com controles frontais.



### GRW






Suporte para wok



---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.      |
|  | CUT_OUT_STANDARD_72dpi   |  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |
|  | Controle dos botões  |   |   |