

SRV896AOGH



Product Family	Hob
Built-in type	Traditional
Dimensions	90 cm
Power supply	Gas
Type	Gas
EAN code	8017709233310



Aesthetics



Aesthetic	Colonial
Colour	Anthracite
Material	Enamelled
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Antique brass
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Gold

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Corte padrão	478-482x839-844 mm
--------------	--------------------

Technical Features

UR

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - Rapid - 3.10 kW

Central - Gas - 2UR (dual) - 5.00 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20/G25 natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	12400 W



Compatible Accessories

6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



6MP800P




BB3679

Grelha de ferro fundido



C90CNE-2

Tampa preta adequada para placas de gás de 90 cm com controles frontais.



GGB90

Suporte de ferro fundido para panelas adequado para placas de 90 cm.



TPK

Placa grelhadora de aço inoxidável para cozinhar pratos Teppanyaki



6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho




6MPF2465X

Conjunto de botões para placa - Seleção



C90CEB/1

Tampa branca adequada para placas de gás de 90 cm com controles frontais.



C90CX/1

Tampa de vidro com estrutura de aço inoxidável adequada para placas de 90 cm com controle frontal.







GRW

Suporte para wok



Symbols glossary

- | | | | |
|--|--|---|--|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |  | Controle dos botões |