


SSA91GGX2

Cooker size	90x60 cm
N. of cavities with energy label	1
Cavity heat source	GAS
Hob type	Gas
Type of main oven	Gas with gas grill
EAN code	8017709325091
Energy efficiency class	A



Aesthetics



Design	Standard	Type of control setting hob	Control knobs
Command panel finish	Stainless steel	Control knobs	Smeg Classic
Aesthetic	Classica	Controls colour	Stainless steel
Logo	Embossed	No. of controls	8
Colour	Stainless steel	Serigraphy colour	Black
Logo position	Facia below the oven	Door	Full glass
Finishing	Satin	Glass type	Black
Upstand	Yes	Handle	Smeg Classic
Series	Concerto	Handle Colour	Brushed stainless steel
Hob colour	Stainless steel	Storage compartment	Door
Type of pan stands	Cast Iron	Feet	Stainless steel


Hob technical features



Total no. of cook zones	5	Gas safety valves	Yes
Front left - Gas - Rapid - 2.90 kW		Burner caps	Matt black enamelled
Rear left - Gas - Semi Rapid - 1.75 kW			
Central - Gas - UR - 4.00 kW			
Rear right - Gas - Semi Rapid - 1.75 kW			
Front right - Gas - AUX - 1.00 kW			
Type of gas burners	Standard		

Automatic electronic ignition Yes

Main Oven Technical Features



No. of lights	2	Door opening	Flap down
Fan number	2	Removable door	Yes
Net volume of the cavity	105 l	Full glass inner door	Yes
Gross volume, 1st cavity	129 l	Total no. of door glasses	2
Cavity material	Ever Clean enamel	No. of thermo-reflective door glasses	1
No. of shelves	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space dimensions (HxWxD)	340x724x418 mm
Light type	Halogen	Temperature control	Mechanical
Light Power	40 W	Grill type	Gas
Cooking time setting	Contaminuti + fine cottura		

Options Main Oven


End of cooking acoustic alarm	Yes	Maximum temperature	260 °C
Minimum Temperature	80 °C		

Accessories included for Main Oven & Hob

Cast iron wok support	1	40mm deep tray	1
Moka stand	1	Grill mesh	1
Rack with back and side stop	1		

Electrical Connection

Electrical connection rating	120 W	Power supply cable length	115 cm
Current	1 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	3 poles
Installed electric cable	Yes, Single phase	Plug	Not present



Compatible Accessories

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SFLK1

Child lock



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.		
	Installation in column: Installation in column		Knobs control
	Air cooling system: to ensure a safe surface temperatures.		Double glazed doors: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking		Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		Side lights: Two opposing side lights increase visibility inside the oven.
	Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.		The oven cavity has 5 different cooking levels.
	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.		The capacity indicates the amount of usable space in the oven cavity in litres.