

ST311CS



Product Family Dishwashers Commercial width 60 cm Commercial height 82 cm

Installation Fully-integrated built-in

Kitchen panel Not supplied N° baskets 3, Flexi

8017709306854 EAN code



Programs











N. of programmes 5 Mix Yes 50, 65, 70 °C Washing temperatures Intense Yes Soak Yes 1/2 load Yes

ECO Yes

Options





Delay timer option 3-6-9 hours Extra dry option Yes

Baskets

Upper Basket



Basket colour Grey Largest loadable dish in 19,0 cm

upper basket **Basket components** Grey

Lower Basket With fixed racks colour

Handle In plastic on upper and Lower basket with anti- Yes

lower basket drip inserts

With central fixed racks Largest loadable dish in 30,0 cm

lower basket Glass holder

Height adjustment of On three levels (5 cm) Colour Inner Green the upper basket

Components

Technical Features

SMEG SPA 30/11/2025





Width (mm) 598 mm 545 mm Depth (mm) Product Height (mm) 818 mm Controls Electronic

Programme graphics Symbols Salt light indicator Light Rinse aid indicator Light

End of cycle indicator Acoustic signal Washing system Standard

Third spray arm Single Water softener With electronic setting

Flood protection system Single Acquastop

Single; cold/hot water max. Water supply 60°C - energysave with hot water up to 35%

Max water hardness 100°fH:58°dH Drying system Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

Steam protection In plastic Tub material Stainless steel Filter Stainless steel

Concealed heating Yes

element

Hinges Self balancing with fixed

hinges 2 - 9 kg

100 - 228 mm

Min. and max. frontal

panel weight

Min. and max plinth

height

7 cm, from 820 to 890 mm Adjustable feet

Back cover Yes Depth of dishwasher 1146 mm

with open door (mm)

Back feet adjustable

from front

Yes

Top cover In plastic

Performance / Energy Label - Reg. 2019







Energy Efficiency Class Energy consumption 73 kWh

[per 100 cycles, based on the eco programme]

Rated capacity (ps) 13

Water consumption [per 12.0 litres

cycle]

Programme duration

Airborne acoustical noise emissions

Airborne acoustical noise emission class

Type of connection

Power supply cable

Energy efficiency Index

(EEI)

3:35 h:min

51 dB(A) re 1 pW

D

43.8

Electrical Connection

Connected power 1800 W Current 10 A Voltage 220-240 V Frequency (Hz) 50 Hz


length Plug

Single-phase 140 cm

(F;E) Schuko

SMEG SPA 30/11/2025





SMEG SPA 30/11/2025



Compatible Accessories



KIT82CN



KIT82CX



KIT82SPRAN



KIT82SPRMW




KIT82SPRX



KITPL60FABB

Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.







KITPL60FABN



Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 30/11/2025



Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



To improve the drying of dishes without leaving stains.



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.




13 place settings: Number of place settings.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



EXTRA DRY This option adds a hot rinse cycle that ensures improved drying.



SMEG SPA 30/11/2025