

ST323PM







Product Family Dishwashers
Width 60 cm
Commercial height 82 cm

Installation Fully-integrated built-in

Kitchen panel Not supplied
N° baskets 3, FlexiDuo
Motor Inverter 2.0
Type Semi professional

EAN code 8017709307363



Programmes





















No. of programmes 10+1
Washing temperatures 45, 50,
Soak Yes
Crystal Yes
Full express - 60 Yes
minutes
ECO Yes

10+1 Auto sensor 45-65 Yes
45, 50, 65, 70, 75 °C Mix Yes
Yes Intense Yes
Yes Self clean Yes
Yes Hygiene 99,9% Yes
Ultra Express Yes

Professional programs



Crystal Pro Yes

Options











Dry Assist+ option
Delay timer option

1/2 load FlexiZone option (varied distribution)

Yes

Up to 24 hours, with automatic soak

Yes

Professional option Intensive wash zone

option

Yes

Baskets







Basket colour

colour

Handle

Basket components

In plastic with stainless steel insert on upper and

lower basket

On three levels

Upper Basket With 3 foldable racks Glass holder Yes

Height adjustment of the upper basket

Grey Grey

Glide

Largest loadable dish in 19,0 cm

Sliding Guides Extra

upper basket

Lower Basket

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components Blue

Yes

With 4 foldable racks

Single; cold/hot water max. 60°C - energysave with hot

Natural condenser drying,

with Dry Assist + automatic

door opening system at the

water up to 35%

100°fH;58°dH

end of the cycle

Stainless steel

Stainless steel

In plastic

Yes

Technical Features













Width (mm) Depth (mm) Display type

3 digit Product Height (mm) 818 mm Controls Electronic

Display

Delayed start, Programme

time indicator

Programme graphics On/off indicator Salt light indicator Rinse aid indicator End of cycle indicator Washing system

Third spray arm Water softener

Turbidity sensor

Aquatest

Flood protection system Total Acquastop

Symbols Yes

598 mm

545 mm

Light Light ActiveLight Planetarium

Single With electronic setting

Yes

Water supply

Max water hardness

Drying system

Steam protection Tank material Filter

Concealed heating element

Hinges

Min. and max. frontal

panel weight

Min. and max plinth

height

Adjustable feet

Additional gaskets

7cm, from 820 to 890 mm

50 - 215 mm

FLEXIFIT

2 - 11 kg

Yes, with stainless steel plate

Self balancing, Sliding,

Back cover Yes Depth of dishwasher

with open door (mm) Back feet adjustable

from front

Top cover

1146 mm

Yes

In plastic

Performance / Energy Label









Energy Efficiency Class (Washing cycle)

Programme duration


4:25 h:min



75 kWh Airborne acoustical **Energy consumption** 42 dB(A) re 1 pW [per 100 cycles, based noise emissions on the eco programme] (spinning phase) Rated capacity (ps) 14 Airborne acoustical В Water consumption [per 10,5 litres noise emission class cycle] **Energy efficiency Index** 43,8 (EEI) (Washing cycle)

Electrical Connection

Connected power5450 WFrequency (Hz)50 HzCurrent32 AType of connectionSingle-phaseVoltage220-240 VPower supply cable length200 cm





Compatible Accessories



KIT82CN



KIT82CX



KIT82SPRAN



KIT82SPRMW



KIT82SPRX



Kit for 60cm dishwashers with FlexiFit hinges for door panel weight >11 kg

(max 15 kg 82 cm and 13,5 kg 86 cm)



KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITPL60B

KITFLEXI

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.




KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60X







Kit extension for dishwasher and washing machine: length mt. 2





Symbols glossary



Activelight is an led light which projects a red spot onto the floor beneath the dishwasher when the appliance is in use.



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



COMM_HEIGHT_82_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The new ExtraGlide guide system, available on top of the range models, makes the second basket even smoother and softer. In fact, it facilitates the extraction of the introduction, even at full load and, for the greater excursion, the insertion of crockery is also facilitated in the rear part.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



Professional: Option Professional enables to convert household appliances into semiprofessional ones due to the programs which significantly reduce washing time to obtain an astonishing 16 minutes cycle.



Quick Time: The Quick Time option can reduce the length of the wash cycle up to 55%.





The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.





...



Special quick program for washing glasses.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



Energy efficiency class C



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.





Benefit

Active Light

Active Light gives you clear control by projecting light onto the floor, so you always know when the dishwasher is running or when the cycle is complete

Smeg dishwashers equipped with ActiveLight signal the appliance's activity status by projecting a light on the floor while the cycle is running. The light goes out at the end of the cycle, signalling that the dishwasher can be unloaded.

FlexiDuo

For added convenience, the flexible third basket—FlexiDuo—adapts to accommodate various types of dishes, giving you extra space and better organisation with every load

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

Planetarium Wash System

Smeg's unique Planetarium Wash System uses a specially designed spray arm to deliver full, deep cleaning coverage across every corner of the dishwasher

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

Flexifit hinge system

The Flexifit hinge system ensures smooth door movement, allowing for seamless integration into your kitchen design

The height of the plinth can vary from 5 cm to 21.5 cm, allowing it to fit perfectly into the cabinet. Thanks to this solution, the dishwasher blends harmoniously into its surroundings, with the door and plinth perfectly aligned with the other kitchen furniture.

Extra Glide Telescopic Guides

Smoother and more stable loading and unloading operations

Extra Glide telescopic guides ensure smooth and safe extraction of the upper basket, even with heavy loads. The telescopic design ensures smooth, stable and silent movement, improving ergonomics and convenience. Ideal for optimising space and ease of use, they combine durability and comfort in every washing operation.

DryAssist+

At the end of the cycle, the Dry Assist+ feature automatically opens the door to speed up drying and improve energy efficiency