

ST4522IN



Product Family Dishwashers Commercial width 45 cm Commercial height 82 cm

Installation Fully-integrated built-in

Kitchen panel Not supplied

N° baskets

EAN code 8017709302900



Programs











N. of programmes 6 Washing temperatures 50,60°C Yes Express 50° Yes

ECO Self clean Mix 60° Auto 50°-60°

Yes Yes Yes

Yes

Options





Delay timer option

3 hours

Extreme option

Yes

Baskets



Basket colour Grey **Basket components** Grey

colour

Handle In plastic on upper and

lower basket

With central fixed racks

On two levels (4 cm)

Upper Basket Height adjustment of

the upper basket

Largest loadable dish in 20,0 cm

upper basket

Lower Basket

With fixed racks Lower basket with anti- Yes

drip inserts

Largest loadable dish in 31,5 cm

lower basket

Colour Inner Components

Cutlery basket

Grey Yes

SMEG SPA 30/11/2025



Technical Features







Width (mm) 446 mm 550 mm Depth (mm) Product Height (mm) 818 mm Controls Electronic

Delayed start, Programme Display

> time indicator, Consumptions

Programme graphics Symbols On/off indicator Yes Salt light indicator Liaht Rinse aid indicator Light

End of cycle indicator Acoustic signal Washing system Standard

Water softener With electronic setting

Turbidity sensor Yes

Aquatest

Flood protection system Total Acquastop

Water supply

Single; cold/hot water max. 60°C - energysave with hot

water up to 35%

90°fH; 50°dH

Max water hardness

Drying system

Natural condenser drying, with Dry Assist automatic

door opening system at the end of the cycle

Steam protection In plastic Tub material Stainless steel Filter Stainless steel Yes

Concealed heating

element

Hinges Self balancing, Sliding,

FLEXIFIT 2 - 7,5 kg

40 - 175 mm

Min. and max. frontal

panel weight

Min. and max plinth

height

6 cm, from 820 to 880 mm Adjustable feet

Additional gaskets Depth of dishwasher with open door (mm)

Back feet adjustable

from front

1200 mm

Yes

Yes

Performance / Energy Label - Reg. 2019







Energy Efficiency Class Energy consumption

[per 100 cycles, based

on the eco programme]

70 kWh

Airborne acoustical noise emissions Airborne acoustical

Programme duration

4:00 h:min 46 dB(A) re 1 pW

Rated capacity (ps)

noise emission class **Energy efficiency Index**

55,9

С

Water consumption [per 9,9 litres

cycle]

(EEI)

Electrical Connection

Connected power 1950 W Current 10 A Voltage 220-240 V 50 Hz Frequency (Hz)

Type of connection Power supply cable length

150 cm


Plug

(F;E) Schuko

Single-phase

SMEG SPA 30/11/2025





SMEG SPA 30/11/2025



Compatible Accessories

KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2



SMEG SPA 30/11/2025



Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



The FlexiFit hinges allow the kitchen panel to slide over the dishwasher door, allowing a minimum kitchen plinth height of 5 cm.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



A quick programme suitable for washing a load with fresh and light soil.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



Wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. When this program is selected, the dishwasher recognises the type of dirt and automatically adjusts the washing parameters as appropriate.



Programme suitable for washing and drying normally soiled items.



Option which improves the washing results of the selected programme. It increases the wash temperature and duration.



Energy efficiency class E



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



The symbols show the number of plate settings of the dishwasher.



SMEG SPA 30/11/2025