STH600X1

Product family	Hood
Hood Type	Integrated hood
Design	Telescopic
Extraction	Recirculation
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709286026
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Logo	Silk screen



Controls

Control setting	Slider

Program / Functions

No. of speeds	2
Intensive speed	BOOST

Technical Features

No. of lights	2	**Motor power**	140 W
Light type	LED	**No. of filters**	1
Light Power	1 W	**Anti-grease filters**	Aluminium
Free outlet maximum capacity	440 m³/h	**Vent outlet**	150 mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	420	54
Intensive speed	440	67

Performance / Energy Label

Energy efficicency class (EEC)	F

Electrical Connection

Current	10 A	**Power supply cable length**	2100 mm
Voltage	220-240 V		
Frequency (Hz)	50 Hz	**Plug**	(I) Australia

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Intensive/turbo setting: when extra fast extraction is required.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.