

STH600X1

Product family

| | |
|---------------|-----------------|
| Hood Type | Integrated hood |
| Design | Telescopic |
| Extraction | Recirculation |
| Material | Stainless steel |
| Type of steel | Brushed |
| EAN code | 8017709286026 |
| Aesthetic | Universale |
| Colour | Stainless steel |
| Finishing | Satin |
| Logo | Silk screen |



Controls

| | |
|-----------------|--------|
| Control setting | Slider |
|-----------------|--------|

Program / Functions

| | |
|-----------------|---|
| No. of speeds | 2 |
| Intensive speed |  |

Technical Features



| | |
|------------------------------|-----------------------|
| No. of lights | 2 |
| Light type | LED |
| Light Power | 1 W |
| Free outlet maximum capacity | 440 m ³ /h |

| | |
|---------------------|-----------|
| Motor power | 140 W |
| No. of filters | 1 |
| Anti-grease filters | Aluminium |
| Vent outlet | 150 mm |

| | Extraction rate IEC 61591 [m ³ /h] | Noise level IEC 60704-2-13 [dBA] |
|-----------------|---|----------------------------------|
| Speed 1 | 420 | 54 |
| Intensive speed | 440 | 67 |

Performance / Energy Label



Energy efficiency class F
(EEC)

Electrical Connection

| | | | |
|-----------------------|-----------|----------------------------------|---------------|
| Current | 10 A | Power supply cable length | 2100 mm |
| Voltage | 220-240 V | Plug | (I) Australia |
| Frequency (Hz) | 50 Hz | | |

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.