

STH600X1

Product family Hood

Hood Type Integrated hood Design Telescopic Extraction Recirculation Material Stainless steel Type of steel Brushed

EAN code 8017709286026

Aesthetic Universale Stainless steel Colour

Finishing Satin Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds Intensive speed

Technical Features



No. of lights 2 Motor power 140 W Light type LED No. of filters 1

Light Power 1 W Anti-grease filters Aluminium Free outlet maximum 440 m³/h Vent outlet 150 mm

capacity

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	420	54
Intensive speed	440	67

Performance / Energy Label

SMEG SPA 28/11/2025



Energy efficieency class F (EEC)

Electrical Connection

Current 10 A

Voltage 220-240 V

Frequency (Hz) 50 Hz Plug

Power supply cable

length

g (I) Australia

2100 mm

SMEG SPA 28/11/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 28/11/2025