

# STH600X1

Product family	Hood
Hood Type	Integrated hood
Design	Telescopic
Extraction	Recirculation
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709286026
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Logo	Silk screen



## Controls

Control setting	Slider
-----------------	--------

## Program / Functions

No. of speeds	2
Intensive speed	

## Technical Features



No. of lights	2	Motor power	140 W
Light type	LED	No. of filters	1
Light Power	1 W	Anti-grease filters	Aluminium
Free outlet maximum capacity	440 m <sup>3</sup> /h	Vent outlet	150 mm

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	420	54
Intensive speed	440	67

## Performance / Energy Label

---

Energy efficiency class F  
(EEC)

## Electrical Connection

---

Current	10 A	Power supply cable length	2100 mm
Voltage	220-240 V	Plug	(I) Australia
Frequency (Hz)	50 Hz		

---

## Symbols glossary

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.