

STH650X2

Product family Hood

Hood Type Integrated (semi) hood

DesignTelescopicExtractionExtractionMaterialStainless steelType of steelBrushed

EAN code 8017709346140

Hood width 60 cm

Aesthetic Universale

Colour Silver

Serigraphy colour Black

Logo Silk screen



Controls

Control setting Slider

Program / Functions

No. of speeds Intensive speed



Technical Features





Motor power

No. of lights 2 No. of filters 2

Light typeLEDAnti-grease filtersAluminiumLight Power1 WVent outlet150 mmLight color temperature4000 KMinimum distance from650 mm

scale (K) GAS hob

250 W

Free outlet maximum 770 m³/h Minimum distance from 600 mm

capacity ELECTRIC hob

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	310	54
Speed 2	470	59
Speed 3	620	63



Intensive speed	740	66
-----------------	-----	----

Accessories Included

Tube reduction Yes

Electrical Connection

Electrical connection

rating

252 W

Voltage 220-240 V Frequency (Hz) 50-60 Hz Power supply cable

length

Plug

1500 mm

(I) Australia



Compatible Accessories

KITFC156



Charcoal filters Kit 2 pieces



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.