

STU8212



Product family Dishwashers

24" Width Commercial height 82 cm

Installation Fully-integrated built-in

Yes

N° baskets

EAN code 8017709303693



Yes

Programs







Number of programs **Delicates** Yes Washing temperatures 45, 50, 65, 70 °F Normal Yes Pots & Pans

Daily (half load) Yes

Options





3-6-9 hours Delay start

Extra-dry option Yes Intensive washing zone

option

Baskets

Basket color Lower basket Fixed racks Gray Upper basket Central fixed racks Largest loadable dish in 35,0 inches

lower basket Upper basket height On two height levels

adjustment Colour Inner Blue

Components Largest loadable dish in 25,0 inches

Cutlery basket upper basket 13 place settings

Technical Features



SMEG SPA 11/16/2025



Width 23 9/16 " Depth 21 7/16 " Height 32 3/16 " Rinse aid indicator Light **End-of-cycle indicator** Acoustic signal

Washing system Standard Single Third spray arm

Flood protection system Single Aquastop 100°fH:58°dH Max water hardness Drying system Natural condensation

drying

60 Hz

Stainless steel Tub material Filter Stainless steel

Concealed heating Yes element

Hinges Self-balancing with fixed

hinges

4" - 9"

Min. and max. frontal 4.4 - 19.8 lbs

panel weight

Min. and max plinth

height


Adjustable feet 2 3/4", from 32 1/4" to 35"

Additional gaskets Yes Back cover Yes

Electrical Connection

Frequency (Hz)

Connection type Connected power 1800 W Single-phase Power supply cable 140 " Current 13 A length Voltage 115 V Plug (A) USA & Mexico



11/16/2025 **SMEG SPA**



Compatible Accessories



KIT6CX

Classic aesthetics stainless steel panel with 14 mm. handle. Can be fittet on the fully integrated dishwashers.



KIT82CAN

Classic aesthetics anthracite panel with 14 mm. handle. Can be fittet on the fully integrated dishwashers.



KIT82CX



Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.




KITPL60FABN



Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.









Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 11/16/2025



Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



COMM_HEIGHT_82_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



...



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



The symbols show the number of plate settings of the dishwasher.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

SMEG SPA 11/16/2025