

# STU8222



**Product Family** Dishwashers

Commercial width 60 cm Commercial height 82 cm

Installation Fully-integrated built-in

N° baskets

EAN code 8017709303686



Yes

Yes

Yes

Yes

Yes

Yes

## **Programs**















N. of programmes 10

Washing temperatures 38, 45, 50, 55, 65, 70, 75 °F

Soak Express 27' Yes Mix Yes Sterilise Yes

Auto Eco express Express 60' Pots & Pans

1/2 load

**Delicate** 

## **Options**





**Delay timer option** Intensive wash zone

option

3-6-9 hours

Special programs option Yes

#### **Baskets**



With 2 foldable racks **Basket** colour Lower Basket Grey

**Upper Basket** With 1 foldable rack Largest loadable dish in 35,0 inches

lower basket Height adjustment of On three levels (5 cm)

**Colour Inner** Blue the upper basket

Components Sliding Guides Extra Yes Glide

**Cutlery basket** Largest loadable dish in 25,0 inches

13 place settings sliding upper basket

**SMEG SPA** 2025-11-24



## **Technical Features**







Width (mm) 23 9/16 "
Depth (mm) 21 7/16 "
Product Height (mm) 32 3/16 "
Programme graphics Symbols
Rinse aid indicator Light

End of cycle indicator Acoustic signal

Washing system Orbital
Third spray arm Single
Turbidity sensor Yes

Aquatest

Flood protection system Total Acquastop

Max water hardness 100°fH;58°dH

Drying system Natural condenser drying

Tub material Stainless steel
Filter Stainless steel
Concealed heating Yes

element

Hinges Self balancing with fixed hinges

2 - 9 lbs

100 - 228 mm

Min. and max. frontal panel weight

Min. and max plinth

height

Adjustable feet 7cm, from 820 to 890 mm

Additional gaskets Yes
Back cover Yes
Depth of dishwasher 1186 mm

with open door (mm)

Top cover Metallic sheet

## Performance / Energy Label - Reg. 2019



Airborne acoustical noise emissions

49 dB(A) re 1 pW


### **Electrical Connection**

Connected power1800 WType of connectionSingle-phaseCurrent13 APower supply cable140 "Voltage115 Vlength

Frequency (Hz) 60 Hz Plug (A) USA e Messico

SMEG SPA 2025-11-24





SMEG SPA 2025-11-24



## **Compatible Accessories**



#### KIT6CX

Classic aesthetics stainless steel panel with 14 mm. handle. Can be fittet on the fully integrated dishwashers.





#### KIT82CAN

Classic aesthetics anthracite panel with 14 mm. handle. Can be fittet on the fully integrated dishwashers.



#### KIT82CX



#### **KITGH**

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



#### KITPL60FABB

Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



#### KITPL60FABN

Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



#### KITPL60FABX

Toekick Kit in Stainless Steel with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



#### KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2



**SMEG SPA** 2025-11-24



## Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time



The ExtraGlide guides system makes the second basket run even smoother and softer. It facilitates movement even when fully loaded, and thanks to the increased excursion, facilitates the insertion of dishes into the basket.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



1/2 load: This program is designed for washing dishes not heavily soiled with partial load of the dishwasher.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (



STERYL 75°: Intensive wash cycle ideal for plates, pots, pans, cutting boards, feeding bottles.

SMEG SPA 2025-11-24