

SV564-3



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709111915



Aesthetics



Aesthetic
Colour
Acabamento
Material
Type of steel
Pan stands
Pan Stand Coating
Burner Coating
Type of control setting
Control knob position
No. of controls
Controls colour
Illuminated control knobs
Control knob protection
Serigraphy colour
Alternative colours available

Contemporânea
Stainless steel
Satin
Stainless Steel
Brushed
Enamelled flat
No
No
Control knobs
Front
4
Silver
No
No
Grey
White, Stainless steel, Beige, Terre de France

Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

Options



Corte padrão

478-482x555-560 mm

Technical Features

UR

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - UR - 3.10 kW

Rear-right - Gas - Semi Rapid - 1.70 kW

Front-right - Gas - Semi Rapid - 1.70 kW

Gas safety valves

Yes

Automatic Ignition

Yes

Electrical Connection

Plug

No

Ficha elétrica

No

Comprimento do cabo
de alimentação

120 cm

Gas Connection

Gas Type

G20 Natural gas

Other gas connections
provided


Conical

Ligação ao gás

Ligação ao gás cilíndrica

Gas connection rating
(W)

7600 W



Compatible Accessories

6MP700AO

Conjunto de botões para placa - Cortina Antracito/Latão antigo



6MP700BS

Conjunto de botões para placa - Prata Cortina/Prata



6MP800P




BB3679

Grelha de ferro fundido



C60CNE-2

Tampa preta adequada para placas de 60 cm com controles frontais.



GGB60

Suporte de ferro fundido para painéis adequado para placas de 60 cm.



6MP700AX

Conjunto de botões para placa - Cortina Antracito/Prata



6MP700PO

Conjunto de botões para placa - Creme Cortina/Latão velho




6MPF2465X

Conjunto de botões para placa - Seleção



C60CEB/1

Cobertura branca adequada para placas de 60 cm controles frontais.



C60CX/1

Tampa de vidro adequada para placas de 60 cm com controles frontais.



GRW

Suporte para wok



Symbols glossary



Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha



Controle dos botões



CUT_OUT_STANDARD_72dpi



Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência.

Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Inox

Maximum resistance even at high temperatures: the stainless steel surface ensures durability and deformation resistance, withstanding thermal shocks without damage

Enamelled flat

Shock resistance ensured by durable materials and design, with dishwasher-safe surfaces and Made in Italy quality for long-lasting practicality.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

4 burners for every need: cook with precision and versatility thanks to different power levels, ideal for any pot and for managing multiple dishes simultaneously.

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.