

SY93I-1


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 ELECTRICITY Induction Thermo-ventilated Vapor Clean 8017709308742 A B



Aesthetics

DIGI Aesthetic Classica Type of control knobs **Smeg Classic** Series Sinfonia **Controls colour** Stainless steel Design Square design No. of controls 9 Stainless steel Serigraphy colour Black Colour Finishing Satin Display name DigiScreen **Command panel finish** Stainless steel Door With 2 horizontal strips Logo Silk screen Glass type Eclipse Logo position Command panel Handle Smeg Classic Handle Colour Upstand Yes Brushed stainless steel Black Hob colour Black enamel Plinth

Programs / Functions main oven





Cleaning functions



Vapor clean

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Programs / Functions third oven

No. of functions third oven Oven light

Full grill

1	
Ķ	
·	

1

Hob technical features



Total no. of cook zones 5 Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Rear left - Induction - single - 1.40 kW - - Ø 18.0 cm Central - Induction - single - 2,3 kW - Booster 3 kW - - Ø 27.0 cm Rear right - Induction - single - 1,4 kW - Booster 3.00 kW - - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Automatic switch off Yes Selected zone indicator Yes when overheat Residual heat indicator Yes Automatic pan Yes detection Minimum pan diameter Yes indication

Main Oven Technical Features

er 🗵 🚑 🔗 💭			
No. of lights	1	Total no. of door glasses	3
Fan number	1	No.of thermo-reflective	1
Net volume of the cavity	61 I	door glasses	
Gross volume, 1st cavity	701	Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Cooling system	Tangential
No. of shelves	4	Usable cavity space dimensions (HxWxD)	316x460x412 mm
Type of shelves Light type	Metal racks Halogen	Temperature control	Electro-mechanical



40 W **Light Power** Lower heating element 1200 W power Cooking time setting Start and Stop Upper heating element - 1000 W Door opening Side opening Power **Removable door** Yes 1700 W Grill elememt Full glass inner door Yes Large grill - Power 2700 W Removable inner door Yes Circular heating element 2000 W - Power Grill type Electric Tilting grill Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	260 °C

Second Oven Technical Features

52R 📃 🜻 🔊 💭			
Fan number	1	Full glass inner door	Yes
Net volume of the	62 I	Removable inner door	Yes
second cavity		No. total door glasses	2
Gross volume, 2nd cavity	69 I	No. thermo-reflective door glasses	1
Cavity material	Ever Clean enamel	Safety Thermostat	Yes
No. of shelves	9	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	605x275x370 mm
No. of lights	1	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light Power	40 W	Circular heating element	2500 W
Door opening	Side opening	- Power	
Removable door	Yes	Grill type	Electric

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Third Oven Technical Features

36II 🖳 🚑 🔊 💭			
Net volume, 3rd cavity	36	Removable inner door	Yes
Gross volume, 3rd	41	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Secting System	. a.i.gention



Light type	Halogen	Usable cavity space	169x440x443 mm
Light Power	40 W	dimensions (HxWxD)	
Door opening	Flap down	Temperature control	Electro-mechanical
Removable door	Yes	Large grill - Power	2700 W
Full glass inner door	Yes	Grill type Tilting grill	Electric Yes

Options Third Oven

Minimum Temperature	50 °C	Maximum temperature	260 °C	

Accessories included for Main Oven & Hob

Rack with back and side	2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	partial Extraction	

Accessories included for Secondary Oven

Oven grid with back stop	4	Plate rack/warmer	1


Accessories included for Third Oven

Rack with back and side 1	40mm deep tray	1
stop		

Electrical Connection

Plug	Not present	Power supply cable	150 cm
Electrical connection	15000 W	length	
rating Current	42 A	Additional connection modalities	Double and Three Phase
Voltage	220-240 V	Frequency	50 Hz
Electric cable	Installed, Single phase	Terminal block	5 poles







Compatible Accessories

AIRFRY




Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1



Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

BNP608T



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers



PALPZ


Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock





BN640

BBQ

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

SMEG SPA



TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

,			
			Installation in column: Installation in column
<u>ٺٺ</u>	Air cooling system: to ensure a safe surface temperatures.	*	Defrost by time: Manual defrost function. At the end of the set duration, the function stops.
DIGI	4.3 inch display with LED technology, usability with knobs + 3 touch keys	2	Double glazed doors: Number of glazed doors.
3	Triple glazed doors: Number of glazed doors.		ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
B	B: Product energy rating, measured from A+++ to D / G depending on the product family.		Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking
2)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	8	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.
\bigcirc	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.	8	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.
ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment	~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

•se•smeg

Ņ.	Light	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
(U)	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	0	Side lights: Two opposing side lights increase visibility inside the oven.
	Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.	Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
<u>;2</u>	The oven cavity has 2 different cooking levels.	.4	The oven cavity has 4 different cooking levels.
<u>.9</u>	The oven cavity has 9 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	ø	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	36 It	The capacity indicates the amount of usable space in the oven cavity in litres.
61 lt	The capacity indicates the amount of usable space in the oven cavity in litres.	62 It	The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat