

SYD4110I-1

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 110x60 cm 2 Electric Induction Thermo-ventilated Fan assisted Vapor Clean 8017709308827 A A




Aesthetics

_

DIGI screen			
Aesthetics	Classic	Controls colour	Stainless steel
Series	Symphony	No. of controls	10
Design	Square design	Serigraphy colour	Black
Colour	Stainless steel	Display	Touch
Finishing	Brushed	Door	With 2 horizontal strips
Command panel finish	Stainless steel	Glass type	dark grey
Logo	Silk screen	Handle	Smeg Classic
Logo position	Command panel	Handle Colour	Brushed stainless steel
Upstand	Yes	Storage compartment	Drawer
Hob colour	Black enamel	Plinth	Black
Control knobs	Smeg Classic		

Programs / Functions





Programs / Functions Auxiliary Oven

5 ity 2	
🛞 Fan assisted	😥 Fan grill (large)
🛞 Fan-assisted bottom	
	ity 2 Fan assisted

1

Programme / Functions Third Oven

No. of functions third oven	
Oven light	


Full grill

Hob technical features



Total no. of cook zones	5			
Front left - Induction - single	Front left - Induction - single - 2,3 kW - Booster 3 kW Ø 21.0 cm			
Rear left - Induction - single	e - 1,3 kW - Booster 1,4 kW -	- Ø 18.0 cm		
Central - Induction - single	- 2,3 kW - Booster 3 kW Ø	27.0 cm		
Rear right - Induction - sing	le - 1,3 kW - Booster 1,4 kW	Ø 18.0 cm		
Front right - Induction - single - 2,3 kW - Booster 3 kW Ø 21.0 cm				
Automatic switch off	Yes	Selected zone indicator	Yes	
when overheat		Residual heat indicator	Yes	
Automatic pan detection	Yes			
Minimum pan diameter indication	Yes			

Main Oven Technical Features



Removable inner door Yes Total no. of door glasses 3



Gross volume, 1st cavity 701 **Cavity material** Easy clean enamel Shelf positions 4 Type of shelves Metal racks Halogen Light type Light power 40 W Cooking time setting Start and Stop Door opening Side opening **Removable door** Yes Full glass inner door Yes

No.of thermo-reflective 1 door glasses Safety Thermostat Yes Cooling system Tangential Usable cavity space 316x460x412 mm dimensions (HxWxD) Electro-mechanical Temperature control Lower heating element 1200 W power Upper heating element - 1000 W Power Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2700 W - Power Grill type Electric

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	260 °C

Second Oven Technical Features

M 🖳 🚑 🖉			
Fan number	1	No. total door glasses	3
Net volume of the second cavity	61 litres	No. thermo-reflective door glasses	1
Gross volume, 2nd	701	Safety Thermostat	Yes
cavity		Cooling system	Tangential
Cavity material	Easy clean enamel	Usable cavity space	316x444x425 mm
Shelf positions	4	dimensions (HxWxD)	
Type of shelves	Metal racks	Temperature control	Electro-mechanical
No. of lights	1	Lower heating element -	1200 W
Light type	Halogen	power	
Light power	40 W	Upper heating element -	1000 W
Door opening	Side opening	Power	
Removable door	Yes	Grill element - power	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Grill type	Electric
		Tilting grill	Yes

Options Auxiliary Oven

Minimum Temperature	50 °C	Maximum temperature	260 °C

Third Oven Technical Features



36IR 🧾 🔁 🗍			
Net volume, 3rd cavity	361	Removable inner door	Yes
Gross volume, 3rd	41 I	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Incandescent	dimensions (HxWxD)	
Light power	25 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric
Full glass inner door	Yes	Tilting grill	Yes

Options Third Oven

Minimum Temperature	50 °C	Maximum temperature	260 °C

Accessories included for Main Oven & Hob

Rack with back and side	2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	partial Extraction	

Accessories included for Secondary Oven

Rack with back and side	2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	partial Extraction	


Accessories included for Third Oven

Rack with back and side 1	40mm deep tray	1
stop		

Electrical Connection

Max Power Draw	16500 W	Power supply cable	150 cm
Current	46 A	length	
Voltage	220-240 V	Additional connection	Yes, Double and Three
Voltage 2 (V)	380-415V V	modalities	Phase
Type of electric cable	Yes, Single phase	Frequency Terminal block	50 Hz 5 poles







Not included accessories



KITH4110

Height extension kit (950 mm), suitable for TR4110 cookers



SFLK1

Child lock



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



SCRP

BBO

Enamelled tray, 20mm deep



KITP65TR41





KIT600TR4110 Cover strip for ho

Cover strip for hob back side, suitable for TR4110 Victoria cookers



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

Induction and ceramic hobs and

teppanyaki scraper

PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.





GTT

SMOLD



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640


Enamelled tray, 40mm deep



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

•se•smeg

Symbols glossary



ss•smeg

側	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ő.	Side lights: Two opposing side lights increase visibility inside the oven.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<u>.2</u>	The oven cavity has 2 different cooking levels.
<u>.4</u>	The oven cavity has 4 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
ŝ,	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	Ň	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	36 R	The capacity indicates the amount of usable space in the oven cavity in litres.
61 It	The capacity indicates the amount of usable space in the oven cavity in litres.	DIGI	The touch timer display or DigiScreen guarantees simple functionality. They display the time, set

simple functionality. They display the time, set programmed cooking and the minute minder timer.



Benefit

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning



Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)