

SYD4110I-1

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

110x60 cm

2

Electric

Induction

Thermo-ventilated

Fan assisted

Vapor Clean

8017709308827

Α



Aesthetics



Aesthetics

Classic Series Symphony

Design Square design Stainless steel Colour

Finishing Brushed

Command panel finish Stainless steel Silk screen

Command panel Logo position

Upstand Yes

Hob colour Black enamel

Control knobs **Smeg Classic** Controls colour Stainless steel

No. of controls 10 Serigraphy colour Black Display Touch

Door With 2 horizontal strips

Glass type dark grey Handle **Smeg Classic**

Handle Colour Brushed stainless steel

Storage compartment Drawer Plinth Black

Programs / Functions

No. of cooking functions Traditional cooking functions

Static

Fan assisted



Circulaire

ECO



Fan assisted base

Cleaning functions



Vapor Clean

SMEG SPA 22/12/2024

6



Programs / Functions Auxiliary Oven

Cooking functions cavity 2

5

Traditional cooking functions, cavity 2

Static

Fan assisted

Fan grill (large)

Bottom

Fan-assisted bottom

Cleaning functions cavity 2

Vapor Clean

Other functions cavity 2

defrost by time

Programme / Functions Third Oven

No. of functions third oven

Oven light

Full grill

Hob technical features





Total no. of cook zones 5

Front left - Induction - single - 2,3 kW - Booster 3 kW - - Ø 21.0 cm Rear left - Induction - single - 1,3 kW - Booster 1,4 kW - - Ø 18.0 cm

Central - Induction - single - 2,3 kW - Booster 3 kW - - Ø 27.0 cm

Rear right - Induction - single - 1,3 kW - Booster 1,4 kW - - Ø 18.0 cm

Front right - Induction - single - 2,3 kW - Booster 3 kW - - Ø 21.0 cm

Automatic switch off

Selected zone indicator Yes Residual heat indicator Yes

when overheat Automatic pan

Yes

detection

Minimum pan diameter

indication

Main Oven Technical Features

















No. of lights Fan number Net volume of the cavity 61 litres Removable inner door Total no. of door glasses 3



Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen Light power 40 W

Cooking time setting Start and Stop Door opening Side opening

Removable door Yes Full glass inner door Yes

No.of thermo-reflective 1

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

316x460x412 mm

1200 W

Yes

Tangential

316x444x425 mm

Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2700 W

- Power

Grill type Electric

Options Main Oven

Timer Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260°C

alarm

Second Oven Technical Features



Fan number No. total door glasses 3 Net volume of the No. thermo-reflective 61 litres 1

second cavity door glasses

Gross volume, 2nd 70 I Safety Thermostat cavity

Cavity material Easy clean enamel

Usable cavity space Shelf positions dimensions (HxWxD)

Type of shelves Metal racks Temperature control

No. of lights Lower heating element - 1200 W

power Light type Halogen Upper heating element - 1000 W 40 W Light power

Power Side opening Door opening

1700 W Grill element - power Removable door Yes Large grill - Power 2700 W Full glass inner door Yes Grill type Electric Removable inner door Yes

> Tilting grill Yes

Cooling system

Options Auxiliary Oven

Maximum temperature 260 °C Minimum Temperature 50°C

Third Oven Technical Features

22/12/2024 **SMEG SPA**















Net volume, 3rd cavity

Gross volume, 3rd

cavity

Cavity material

Shelf positions Type of shelves

No. of lights

Light type Light power

Removable door

Door opening

Full glass inner door

36 I 41 I

Easy clean enamel

Metal racks

Incandescent 25 W

Flap down Yes

Yes

Removable inner door No. total door glasses

3 No. of thermo-reflective

door glasses

Safety Thermostat Yes Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control

Large grill - Power Grill type Tilting grill

Electro-mechanical

169x440x443 mm

2700 W Electric Yes

Yes

Options Third Oven

Minimum Temperature 50 °C Maximum temperature

260 °C

Accessories included for Main Oven & Hob



Rack with back and side 2

stop

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

Accessories included for Secondary Oven



Rack with back and side 2

stop

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

1 1

Accessories included for Third Oven

1

Rack with back and side 1 stop

40mm deep tray

1

Electrical Connection

Max Power Draw

16500 W

Current 46 A

Voltage Voltage 2 (V)

Type of electric cable

220-240 V 380-415V V

Yes, Single phase

Power supply cable length

Additional connection modalities

Frequency Terminal block 150 cm

Yes. Double and Three


22/12/2024

Phase 50 Hz

5 poles

SMEG SPA







Not included accessories

KITH4110



Height extension kit (950 mm), suitable for TR4110 cookers

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

GTP



SFLK1 Child lock

PRTX



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

BNP608T



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Teflon-coated tray, 8mm depth, to be placed on the grid

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm



BN620-1

Enamelled tray, 20mm deep

KITP65TR41



Depth extension kit (650 mm), suitable for TR4110 cookers



SCRP

Induction and ceramic hobs and teppanyaki scraper

KIT600TR4110



Cover strip for hob back side, suitable for TR4110 Victoria cookers



вво

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



Enamelled tray, 40mm deep



SMOLD




Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C




Symbols glossary

δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Installation in column: Installation in column



Triple glazed doors: Number of glazed doors.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.

Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.

ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.

ECO

æ


Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



DIGI

ૠ

A: Product drying performance, measured from A+++ to D / G depending on the product family



The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.

ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.

Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.

Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.

Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

Light





Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning



Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)