

TR103P

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

100x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated

Thermo-ventilated

Vapor Clean

8017709241483

A B



Aesthetics

Control knobs



Aesthetic Victoria

ColourCreamDesignVictoriaDoorWith frame

Upstand Yes

Type of pan stands Cast Iron

Hob colour Black enamel

Command panel finish Enamelled metal

Controls colour Stainless steel

Display Electronic 5 buttons

Colour of buttons Black
No. of controls 10
Serigraphy colour Black

Handle Smeg Victoria

Handle Colour Brushed stainless steel

Glass type Black
Plinth Anthracite
Logo assembled 50's

Logo position Upstand+ Command panel

Programme / Functions

No. of cooking functions
Traditional cooking functions

ૠ

Smeg Victoria

Circulaire

®

Turbo

ECO

Eco

Static

Small grill

•--

Large grill

ૠ

Fan grill (large)



Fan assisted base

SMEG SPA 27/7/2024

8



Cleaning functions



Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Circulaire

Programs / Functions Third Oven

No. of functions third oven Oven light

Full grill



1



Hob technical features



Total no. of cook zones 6

Front left - Gas - 2UR (dual) - 4.20 kW Rear left - Gas - AUX - 1.00 kW Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Semi Rapid - 1.80 kW Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Rapid - 2.90 kW

Standard Gas safety valves Type of gas burners Yes

Automatic electronic Yes **Burner** caps Matt black enamelled ianition

Main Oven Technical Features

















No. of lights 1 Fan number Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop Door opening Side opening

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential** 316x460x412 mm

Usable cavity space dimensions (HxWxD)

Electro-mechanical

Lower heating element

1200 W

Temperature control power

Upper heating element - 1000 W

Power



Removable door Yes Grill elememt 1700 W Full glass inner door Yes Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Full glass inner door

Removable inner door

Yes

1

Yes

Options Main Oven

Timer Minimum Temperature 50 °C Yes 260 °C End of cooking acoustic Yes Maximum temperature

alarm

Second Oven Technical Features

Net volume of the 84 I

second cavity Removable inner door Yes Gross volume, 2nd 94 I 2 No. total door glasses

cavity No. thermo-reflective Cavity material Ever Clean enamel

door glasses

No. of shelves Safety Thermostat Yes Metal racks Type of shelves

Cooling system **Tangential** No. of lights 1 605x375x375 mm

Usable cavity space dimensions (HxWxD) Light type Halogen

Light Power 40 W Temperature control Electro-mechanical

Circular heating element 2 x 1550 W Door opening Side opening

- Power Removable door Yes

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245 °C

Third Oven Technical Features

Light type

Net volume, 3rd cavity Gross volume, 3rd 41 I No. total door glasses 3 cavity No. of thermo-reflective

Cavity material Ever Clean enamel door glasses

Halogen

36 I

No. of shelves 2 Safety Thermostat Yes

Type of shelves Metal racks Cooling system **Tangential**

No. of lights 1 Usable cavity space 169x440x443 mm

dimensions (HxWxD)

Temperature control Electro-mechanical **Light Power** 40 W

Large grill - Power 2700 W Door opening Flap down Grill type Electric Removable door Yes



Full glass inner door

Yes

Tilting grill

Yes

Options Third Oven

Minimum Temperature 50 °C Maximum temperature 260°C

Accessories included for Main Oven & Hob



Cast iron wok support Moka stand in cast iron Rack with back and side 2

stop

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

Accessories included for Secondary Oven



Oven grid with back stop

Plate rack/warmer

1

1

Accessories included for Third Oven

40mm deep tray

Electrical Connection

Plug **Electrical connection**

rating

Current Voltage Voltage 2 (V) Not present 8900 W

39 A


220-240 V 380-415 V Installed electric cable

Additional connection modalities

Frequency Terminal block Yes, Single phase

Yes, Double and Three Phase 50/60 Hz 5 poles







Not included accessories



TPKTR9

Stainless steel teppanyaki plate, suitable for Victoria TR9, Master and Sinfonia cookers



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.





Child lock



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Teflon-coated tray, 8mm depth, to be placed on the grid



BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers



KIT1TR103

Splashback black, 100cm, suitable for TR103 Victoria cookers



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



KITH103

Height extension kit (950 mm), black, suitable for TR103 cookers (945-960mm)



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.






BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GTT



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



Heavy duty cast iron pan stands: for maximum stability and strength.





B: Product energy rating, measured from A+++ to D / G depending on the product family.



Air cooling system: to ensure a safe surface temperatures.



Double glazed doors: Number of glazed doors.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Light





Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.



Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)