

# **TR4110IBL2**

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

110x60 cm

2

Electric

Induction

Thermo-ventilated

Fan assisted

Vapor Clean

8017709312435

Α



### **Aesthetics**

**Aesthetics** Victoria Black Colour Victoria Design Door With frame

Upstand

Hob colour Black enamel Command panel finish **Enamelled metal** Control knobs Smeg Victoria Controls colour Stainless steel

Display electronic 5 buttons Colour of buttons No. of controls

Serigraphy colour Silver

Handle Smeg Victoria

**Handle Colour** Brushed stainless steel

Black

10

Glass type Black Plinth Anthracite Storage compartment Drawer

assembled 50's Logo

Logo position Upstand

# **Programs / Functions**

No. of cooking functions Traditional cooking functions

Static

Fan assisted



Circulaire

ECO



Fan assisted base

5

**Cleaning functions** 

Vapor Clean

Other functions



Defrost by time



# **Programs / Functions Auxiliary Oven**

Cooking functions cavity 2

6

Traditional cooking functions, cavity 2

Static

Fan assisted

ECO ECO

Large grill

Fan grill (large)

Fan-assisted bottom

# Programme / Functions Third Oven

No. of functions third oven

Oven light

Full grill



### Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 2.3 kW - Booster 3 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.3 kW - Booster 1.4 kW - - Ø 18.0 cm

Central - Induction - single - 2.3 kW - Booster 3 kW - - Ø 27.0 cm

Rear right - Induction - single - 1.3 kW - Booster 1.4 kW - - Ø 18.0 cm

Front right - Induction - single - 2.3 kW - Booster 3 kW - - Ø 21.0 cm

Automatic switch off

Yes

Minimum pan diameter

indication

Automatic pan

when overheat

detection

Selected zone indicator Yes

# Main Oven Technical Features



















No. of lights 1 Fan number 1

Net volume of the cavity 61 litres

Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Door opening

Side opening

Lower heating element

power

Removable inner door Yes Total no. of door glasses 3

No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

Usable cavity space 316x460x412 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

1200 W

24/04/2024 **SMEG SPA** 



Side opening door Yes Upper heating element - 1000 W

Removable door Yes Power

Full glass inner door Yes Grill elememt 1700 W
Large grill - Power 2700 W

Circular heating element 2700 W

- Power

Grill type Electric

Yes

# **Options Main Oven**

Timer Yes Minimum Temperature  $50 \, ^{\circ}\text{C}$  End of cooking acoustic Yes Maximum temperature  $260 \, ^{\circ}\text{C}$ 

alarm

## Second Oven Technical Features

Fan number 1 Removable inner door Yes

Net volume of the 61 litres No. total door glasses 3

second cavity No. thermo-reflective 1

Gross volume, 2nd 70 l door glasses

cavity Safety Thermostat

Cavity material Easy clean enamel Cooling system Tangential

Shelf positions 4 Usable cavity space 316x444x425 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights 1 Temperature control Electro-mechanical

Light type Halogen Lower heating element - 1200 W

Light power 40 W power

Door opening Side opening Upper heating element - 1000 W

Side opening door Yes

Removable door Yes

Full place inner door

Yes

Power

Grill element - power 1700 W

Large grill - Power 2700 W

Full glass inner door Yes Carge grill - Power 2700 W
Grill type Electric
Tilting grill Yes

# **Options Auxiliary Oven**

Minimum Temperature 50 °C Maximum temperature 260 °C

### Third Oven Technical Features



Net volume, 3rd cavity 36 l Removable inner door Yes
Gross volume, 3rd 41 l No. total door glasses 3
cavity No. of thermo-reflective 1

Cavity material Easy clean enamel Mo. of thermo-reflective 1

door glasses

Shelf positions2Safety ThermostatYesType of shelvesMetal racksCooling systemTangential



No. of lights

Light type Incandescent

25 W Light power

Flap down Door opening

Removable door Yes Full glass inner door Yes

Usable cavity space dimensions (HxWxD)

Temperature control

Large grill - Power

Grill type Tilting grill 169x440x443 mm

Electro-mechanical

2700 W Electric Yes

# **Options Third Oven**

Minimum Temperature 50 °C Maximum temperature 260 °C

### Accessories included for Main Oven & Hob

Rack with back and side 2

stop

40mm deep tray 1 Grill mesh

Telescopic Guide rails,

partial Extraction

# Accessories included for Secondary Oven



Rack with back and side 2

stop

40mm deep tray 1 Grill mesh

Telescopic Guide rails,

partial Extraction

## Accessories included for Third Oven

Rack with back and side 1

stop

40mm deep tray

1

1

## **Electrical Connection**

Max Power Draw

16500 W

Current

46 A

Voltage

installed

220-240 V

Voltage 2 (V)

380-415 V

Type of electric cable

Yes, Single phase

Power supply cable length

Type of electric cable

Yes. Double and Three

Phase


150 cm

50 Hz

Frequency Terminal block

5 poles







### Not included accessories

#### KITH4110



Height extension kit (950 mm), suitable for TR4110 cookers

#### SFLK1



Child lock

#### **PRTX**



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

#### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

#### BN620-1



Enamelled tray, 20mm deep

#### SCRP



Induction and ceramic hobs and teppanyaki scraper

#### **BBQ**




Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

#### **PALPZ**



Pizza shovel with fold away handle width: 315mm length: 325mm

#### **AIRFRY**



#### **GTP**



\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished

#### BNP608T



Teflon-coated tray, 8mm depth, to be placed on the grid

#### KIT1TR41N



Splashback 110x75 cm suitable for TR4110 Victoria cookers, black

#### KITP65TR41



Depth extension kit (650 mm), suitable for TR4110 cookers

#### KIT600TR4110



Cover strip for hob back side, suitable for TR4110 Victoria cookers

#### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

### GTT



\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished





BN640 Enamelled tray, 40mm deep



## SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



# Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Light



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.





All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.