

TR62IP2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

60x60 cm

2

ELECTRICITY

Induction

Thermo-ventilated

Static

Ever Clean enamel

8017709309558

Α



Aesthetics

Aesthetic

Colour

Design

Finishing

Victoria

Cream

Cream

Victoria

Door With frame

Yes

Upstand

Hob colour Black enamel Command panel finish **Enamelled metal**

Control knobs Smeg Victoria

Controls colour Stainless steel Display

Colour of buttons

No. of controls

Serigraphy colour

Handle

Handle Colour

Glass type

Plinth

Logo

Logo position

Electronic 5 buttons

Black 6

Black

Smeg Victoria

Brushed stainless steel

Black

Anthracite

assembled 50's

Upstand

Programme / Functions

No. of cooking functions

Traditional cooking functions

4



Static

Base

Small grill



Large grill

Hob technical features









Total no. of cook zones 4



Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm Rear right - Induction - giant - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Front right - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm

Automatic switch off Yes

when overheat

Yes

Automatic pan detection

Minimum pan diameter

indication

Selected zone indicator Residual heat indicator Yes

Main Oven Technical Features























No. of lights Fan number 1 Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Door opening

Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

316x460x412 mm

Circular heating element 2700 W

- Power

Options Main Oven

Timer Yes End of cooking acoustic Yes

alarm

Minimum Temperature 50 °C Maximum temperature 245°C

Second Oven Technical Features















35 I





Net volume of the second cavity

Gross volume, 2nd 41 I

cavity

Ever Clean enamel Cavity material

No. of shelves 2

Type of shelves Metal racks

No. of lights 1

Light type

Light Power 40 W Door opening Removable door Yes

Halogen Flap down

No. total door glasses 3 No. thermo-reflective 1

door glasses

Safety Thermostat Yes Cooling system

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Tangential

169x440x443 mm

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power



Full glass inner door Removable inner door Yes Yes Grill element - power Large grill - Power Grill type

Tilting grill

1700 W 2700 W Electric Yes

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob

Rack with back and side 2

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

Accessories included for Secondary Oven

Rack with back and side 1

stop

40mm deep tray 1 Grill mesh

1

1

Electrical Connection

Plug **Electrical connection**

rating Current

Voltage Voltage 2 (V) Not present 12700 W

38 A 220-240 V

380-415 V

Installed electric cable


Additional connection modalities

Frequency Terminal block Yes, Single phase

Yes, Double and Three

Phase 50/60 Hz 5 poles







Not included accessories



KIT1TR6N

Splashback black, 60cm ,suitable for TR62 Victoria cookers



AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.





BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



PRTX

SFLK1

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KITH60

Height extension kit (950 mm), black, suitable for TR60 cookers



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.





Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes


SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.

Automatic opening: some models have Automatic opening door when the cycle is finished which is a

ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

Indication of residual heat: After the glass





The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)