

TR62IP2

Cooker size

N. of cavities with energy label

Cavity heat source Hob type

Type of main oven

Type of second oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

60x60 cm

ELECTRICITY

Induction

Thermo-ventilated

Static

2

8017709309558

A A



Aesthetics

Aesthetic Victoria Display electronic 5 buttons

ColourCreamColour of buttonsBlackFinishingCreamNo. of controls6DesignVictoriaSerigraphy colourBlack

DoorWith frameHandleSmeg Victoria

Upstand Yes Handle Colour Brushed stainless steel

Hob colourBlack enamelGlass typeBlackCommand panel finishEnamelled metalPlinthAnthraciteControl knobsSmeg VictoriaLogoassembled 50's

Controls colour Stainless steel Logo position Upstand

Programme / Functions

No. of cooking functions

Traditional cooking functions

Static Small grill Large grill

Base

Hob technical features







Total no. of cook zones 4

SMEG SPA 18/4/2024

4



Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm Rear right - Induction - giant - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Front right - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm

Automatic switch off Yes

when overheat

Yes

Automatic pan detection

Minimum pan diameter

indication

Selected zone indicator Residual heat indicator Yes

Removable door

door glasses

Cooling system

Full glass inner door

Removable inner door

No.of thermo-reflective

Safety Thermostat

Usable cavity space

Total no. of door glasses 3

Main Oven Technical Features

















No. of lights Fan number 1 Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Door opening

Metal racks

Flap down

dimensions (HxWxD)

Temperature control Electro-mechanical

Yes

Yes

Yes

Yes

Tangential

316x460x412 mm

Circular heating element 2700 W

- Power

Options Main Oven

Timer Yes End of cooking acoustic Yes

alarm

Minimum Temperature 50 °C Maximum temperature 245°C

Second Oven Technical Features













35 I

41 I

2







Net volume of the second cavity

Gross volume, 2nd

cavity

Ever Clean enamel Cavity material

No. of shelves

Type of shelves Metal racks

No. of lights 1

Light type Halogen **Light Power** 40 W

Door opening Flap down Removable door Yes

No. total door glasses 3 No. thermo-reflective 1

door glasses

Safety Thermostat

Cooling system Usable cavity space Tangential 169x440x443 mm

Yes

dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power



Full glass inner door Removable inner door Yes Yes Grill element - power Large grill - Power Grill type

Tilting grill

2700 W Electric Yes

1700 W

Options Auxiliary Oven

Minimum Temperature 50 °C

245 °C Maximum temperature

Accessories included for Main Oven & Hob

Rack with back and side 2

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

1

Accessories included for Secondary Oven

1

Rack with back and side 1

stop

40mm deep tray

Grill mesh

1

Electrical Connection

Electrical connection

rating

12700 W

38 A

Current 220-240 V Voltage Voltage 2 (V)

380-415 V

Type of electric cable

installed

Additional connection


modalities

Frequency Terminal block Yes, Single phase

Yes, Double and Three

Phase 50/60 Hz 5 poles







Not included accessories



KIT1TR6N

Splashback black, 60cm, suitable for TR62 Victoria cookers



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the smooth extraction of the trays.



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm



KITH60

Height extension kit (950 mm), black, suitable for TR60 cookers



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



вво

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes




SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
A	A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface

The inner door glass: can be removed with a few visibility inside the oven. quick movements for cleaning. Indication of residual heat: After the glass The oven cavity has 2 different cooking levels. ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.





The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.