

## TR90DGC9

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 90x60 cm 1 ELECTRICITY Gas Thermo-ventilated Catalytic 8017709268428 A



## Aesthetics

<u>ه</u>			
Aesthetic	Victoria	Type of control setting	Control knobs
Series	Divina Cucina	hob	
Design	Victoria	Type of control knobs	Smeg Victoria
Colour	Decorated / Special	Controls colour	Stainless steel
Finishing	Glossy	No. of controls	8
Command panel finish	Enamelled metal	Serigraphy colour	Silver
Decoration / Special	Sicilian cart	Display name	Electronic 5 buttons
colour		Door	With frame
Collaborations	Smeg & Dolce&Gabbana	Glass type	Black
Logo	assembled 50's	Handle	Smeg Victoria
Logo position	Upstand+ Command panel	Handle Colour	Polished chrome
Upstand	Yes	Storage compartment	Drawer
Hob colour	Black enamel	Feet color	none
Type of pan stands	Cast Iron	Plinth	Anthracite


## Programs / Functions main oven

No. of cooking functions



Traditional cooking functions				
Static	Ean assisted	Circulaire		
ECO Eco	Large grill	😥 Fan grill (large)		
Base	🛞 Fan assisted base	$\longleftrightarrow$ Rotisserie		
Other functions				
Defrost by time				
Cleaning functions				
Catalytic	Vapor clean			

## Hob technical features



## Main Oven Technical Features

No. of lights2Removable inner doorYesFan number2Total no. of door glasses3Net volume of the cavity1151No.of thermo-reflective2Gross volume, 1st cavity1291door glasses	115R 🛄 其			
Net volume of the cavity115  No.of thermo-reflective2Gross volume, 1st cavity129  door glasses2Cavity materialEver Clean enamelSafety ThermostatYesNo. of shelves5Cooling systemTangentialType of shelvesMetal racksUsable cavity space371x724x418 mmLight typeHalogenTemperature controlElectro-mechanicalLight Power40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element -1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	No. of lights	2	Removable inner door	Yes
Gross volume, 1st cavity129  door glassesCavity materialEver Clean enamelSafety ThermostatYesNo. of shelves5Cooling systemTangentialType of shelvesMetal racksUsable cavity space371x724x418 mmLight typeHalogenTemperature controlElectro-mechanicalLight Power40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	Fan number	2	Total no. of door glasses	3
Cavity materialEver Clean enamelSafety ThermostatYesNo. of shelves5Cooling systemTangentialType of shelvesMetal racksUsable cavity space371x724x418 mmLight typeHalogenTemperature controlElectro-mechanicalLight Power40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill element1700 WRemovable doorYesLarge grill - Power2900 W	Net volume of the cavity	115	No.of thermo-reflective	2
County indicationEver clean endnerCooling systemTangentialNo. of shelves5Cooling systemTangentialType of shelvesMetal racksUsable cavity space dimensions (HxWxD)371x724x418 mmLight typeHalogenTemperature controlElectro-mechanicalLight Power40 WLower heating element power1700 WCooking time settingStart and StoppowerLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	Gross volume, 1st cavity	1291	door glasses	
Type of shelvesMetal racksUsable cavity space371x724x418 mmLight typeHalogenGimensions (HxWxD)Electro-mechanicalLight Power40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	Cavity material	Ever Clean enamel	Safety Thermostat	Yes
Light typeHalogendimensions (HxWxD)Light Yower40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	No. of shelves	5	Cooling system	Tangential
Light Power40 WTemperature controlElectro-mechanicalLight Power40 WLower heating element1700 WCooking time settingStart and Stoppower1200 WLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	Type of shelves	Metal racks	<b>2</b> .	371x724x418 mm
Light Power40 WTemperature controlElectro-mechanicalCooking time settingStart and StopLower heating element1700 WLight when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	Light type	Halogen	dimensions (HxWxD)	
Cooking time settingStart and StopDowerLight when oven door is openYesUpper heating element - 1200 W PowerDoor openingFlap downGrill element - 1700 WRemovable doorYesLarge grill - Power	Light Dower	-	Temperature control	Electro-mechanical
Light when oven door is openYesUpper heating element - Power1200 WDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	•		Lower heating element	1700 W
openPowerDoor openingFlap downGrill elememt1700 WRemovable doorYesLarge grill - Power2900 W	• •	Start and Stop	power	
Door openingFlap downGrill element1700 WRemovable doorYesLarge grill - Power2900 W	•	Yes	Upper heating element -	1200 W
Removable doorYesLarge grill - Power2900 W	•		Power	
Luige gill - Power 2500 W	Door opening	Flap down	Grill elememt	1700 W
•••	Removable door	Yes	Large grill - Power	2900 W
· g-= · ·	Full glass inner door	Yes		



Circular heating element 2 x 1550 W - Power Grill type Electric Soft Close system Yes

## **Options Main Oven**

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			


## Accessories included for Main Oven & Hob

Cast iron wok support	1	40mm deep tray	1
Moka stand in cast iron	1	Grill mesh	1
Rack with back and side stop	1	Catalityc panels	3
20mm deep tray	1		

## **Electrical Connection**

Plug Electrical connection rating	Not present 3200 W	Electric cable Power supply cable length	Installed, Single phase 120 cm
Current	14 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	3 poles
Voltage 2 (V)	380-415 V		







## **Compatible Accessories**

#### AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

#### BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

#### BN940



Enamelled tray 90 cm, 40 mm deep

#### GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### BBQ9

teflon-coated aluminum grid for 90 cm cavity

#### BN920

Enamelled tray 90cm cavity, 20mm deep

#### GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

#### KIT1TR9N

Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers

#### KITHTR90



Height extension kit (950mm), black, suitable for Victoria TR90 cookers (945-960mm)

#### PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1 Child lock



#### KITROT9

Rotisserie kit for 90x60 cookers, new cavity (115 L)

#### PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

#### SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



## Symbols glossary

#### 



Catalytic cleaning: the system ensures perfect hygiene inside the oven thanks to the three selfcleaning panels coated with a special enamel that promotes the progessive elimination of traces of grease and odors caused by cooking.

<u>....</u>

Air cooling system: to ensure a safe surface temperatures.



2


(%)

Triple glazed doors: Number of glazed doors.

Fan assisted base: the mix of fan and lower
heating element alone allows to finish cooking
foods already cooked on the surface but not
internally more quickly. This system is
recommended to finish cooking foods that are
already well cooked on the surface, but not
internally, which therefore require a moderate
higher heat. Ideal for any type of food.

Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.

Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors. Heavy duty cast iron pan stands: for maximum stability and strength.





(35)

ECO

Defrost by time: Manual defrost function. At the end of the set duration, the function stops.

- Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking
- Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.

Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.

ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment

# •ss•smeg

····	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	(??	Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.
$\leftrightarrow$	Rotisserie: The rotisserie (where installed) works in combination with the grill element to brown foods to perfection.	且	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	0	Side lights: Two opposing side lights increase visibility inside the oven.
De	Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.	<u>.5</u>	The oven cavity has 5 different cooking levels.
	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	115 R	The capacity indicates the amount of usable space in the oven cavity in litres.
6	Knobs control		



## Benefit (TT)

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200 °C.

#### Buttons control

Easy and intuitive timer setting with a simple buttons

#### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

#### **True-convection**

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

#### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### **Removalble inner glass**

Internal door glasses are easily removable for complete cleaning

#### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

#### **BBQ** (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

#### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

#### Soft close

The door is equipped with a specific system for silent closing

#### Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat