

# TR90IBL2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

90x60 cm

1

**ELECTRICITY** 

Induction

Thermo-ventilated

Vapor Clean 8017709312350

Α



# **Aesthetics**



**Aesthetic** 

Design

Colour

**Finishing** 

Command panel finish

Logo

Logo position

Upstand

Hob colour Type of control setting

hob

Type of control knobs

Controls colour

Victoria

Victoria

Black

Glossy

**Enamelled metal** 

assembled 50's

Upstand+ Command panel

Yes

Black enamel

Control knobs

Smeg Victoria

Stainless steel

No. of controls

Serigraphy colour

Display name Door

Glass type

Handle

**Handle Colour** 

Storage compartment

Sliding compartment

Feet color

Plinth

7

Silver

Electronic 5 buttons

With frame

Black

Smeg Victoria Polished chrome

Drawer Yes

none

**Anthracite** 

# Programs / Functions main oven

No. of cooking functions Traditional cooking functions

9

Static

Fan assisted



Small grill



Circulaire

Large grill

ECO

Eco



Fan assisted base

Fan grill (large)



Base



### Other functions

Defrost by time

Cleaning functions

Vapor clean Catalytic

# Hob options



**Limited Power** Control lock Yes 3700, 4800, 7400 W

Consumption Mode in W Limited Power Yes

**Consumption Mode** 

# Hob technical features



## Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Automatic switch off Yes Minimum pan diameter Yes when overheat indication

Automatic pan Yes Selected zone indicator Yes

detection

# Main Oven Technical Features























No. of lights 2 Fan number Net volume of the cavity 1151 Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves 5

Metal racks Type of shelves Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes

Removable inner door Total no. of door glasses 3

No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Yes

371x724x418 mm

1700 W

Lower heating element

power

Upper heating element - 1200 W

**Power** 

Grill elememt 1700 W Large grill - Power 2900 W



Circular heating element 1550 W

- Power

Grill type Electric
Soft Close system Yes

# **Options Main Oven**

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

# Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh 1 stop Catalityc panels 3

20mm deep tray 1 40mm deep tray 1

**Electrical Connection** 

Voltage 2 (V)


PlugNot presentElectric cableInstalled, Single phaseElectrical connection10600 WAdditional connectionDouble and Three Phase

rating modalities

380-415 V

Current 46 A Frequency 50/60 Hz Voltage 220-240 V Terminal block 5 poles







# **Compatible Accessories**

### AIRFRY9

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

### **BN920**

Enamelled tray 90cm cavity, 20mm deep

# **GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

### **GTT**

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

# KITHTR90

Height extension kit (950mm), black, suitable for Victoria TR90 cookers (945-960mm)

### PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

### **SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to

## BBQ9

teflon-coated aluminum grid for 90 cm cavity

### **BN940**

Enamelled tray 90 cm, 40 mm deep

### **GTP**

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

### KIT1TR9N

Splashback black, 90cm, suitable for TR90 and TR93 Victoria cookers

# **PALPZ**

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

Non-scratch hob scraper - suitable for induction and ceramic hobs

### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.









# Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.





Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Knobs control



Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.




Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.





ECO

ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.

Fan grill: very intense heat coming only from R above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.

STOP °C∓ Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.

Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Side lights: Two opposing side lights increase visibility inside the oven.

Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.

The oven cavity has 5 different cooking levels.

Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.

Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

The capacity indicates the amount of usable 1151 space in the oven cavity in litres.



# Benefit (TT)

### Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

### Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

### **Buttons control**

Easy and intuitive timer setting with a simple buttons

## Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

# Multilevel cooking

Several cooking levels allow maximum flexibility of use

## Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

# Removalble inner glass

Internal door glasses are easily removable for complete cleaning

### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency



## Cold door

During any function, the external door glass is cold, avoiding any risk of burns

# AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

## BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

## Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

### Soft close

The door is equipped with a specific system for silent closing

### **Double Turbine**

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat

## Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200 °C.