

TR90IMBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

1

ELECTRICITY Induction

Thermoseal Vapour Clean

. 8017709340643

501//03



Aesthetics



Aesthetic

Design

Colour

Finishing Command panel finish

.

Logo

Logo position Upstand

. Hob colour

Type of control setting Slider

Slider

Control knobs

Victoria

Victoria

Black Glossy

Enamelled metal

assembled 50's

Upstand+ Command panel

Yes

Black enamel Control knobs

Red

кеа

Smeg Victoria

Controls colour

No. of controls

Serigraphy colour

Display Door

Glass type

Handle Handle Colour

Storage compartment

Feet Plinth Stainless steel

7

Silver

electronic 5 buttons

With frame

Black

Smeg Victoria Polished chrome

Push pull none

Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions

 $\widehat{}$

Static

Eco

R

Fan assisted

9



Small grill



Large grill

Circulaire

\$

ECO

Fan grill (large)



Base

<u>₩</u>

Fan assisted bottom

SMEG SPA

6/09/2025



Other functions

*

Defrost by time

Cleaning functions



Vapour Clean

Hob options





Control lock Yes Limited Power Yes

Limited Power Ye Consumption Mode

Limited Power 3700, 4800, 7400 W

Consumption Mode in W

Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Automatic switch off

Yes

Minimum pan diameter Yes

indication

when overheat Automatic pan

Yes

Selected zone indicator Yes

detection

Main Oven Technical Features


























Cavity material Ever Clean enamel

No. of shelves 5

Type of shelves Metal racks
Light type Halogen
Light Power 40 W

Cooking time setting Start and Stop

Light when oven door is Y

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes
Total no. of door glasses 3
No.of thermo-reflective 2

door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

371x724x418 mm

1700 W

Lower heating element

power

Upper heating element - 1200 W

Power

Grill elememt 1700 W Large grill - Power 2900 W



Circular heating element 1550 W

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

Timer Minimum Temperature 50 °C End of cooking acoustic Maximum temperature 260 °C Yes

alarm

Accessories included for Main Oven & Hob

Rack with back and side 1

Grill mesh stop Telescopic Guide rails, 20mm deep tray partial Extraction 1

40mm deep tray

Electrical Connection


10600 W **Electrical connection** Type of electric cable Yes, Single phase

installed rating

46 A Yes. Double and Three Current Type of electric cable Phase

Voltage 220-240 V Frequency 50/60 Hz Voltage 2 (V) 380-415 V Terminal block 5 poles







Compatible Accessories

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN920

Enamelled tray 90cm cavity, 20mm deep

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH95CPF9

Height extension kit (950 mm), suitable for Portofino cookers

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

SFLK1

Child lock

TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

BBQ9

teflon-coated aluminum grid for 90 cm cavity

BN940

Enamelled tray 90 cm, 40 mm deep

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm

SCRP


Induction and ceramic hobs and teppanyaki scraper

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C









Alternative products



TR90IMP
Colour: Cream



TR90IMGR

Colour: Slate Grey



Symbols glossary

δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	A D	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column		Air cooling system: to ensure a safe surface temperatures.
**	Defrost by time: with this function the time of thawing of foods are determined automatically.	3 3	Triple glazed doors: Number of glazed doors.
ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	&	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
·	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	•	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
R	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, shape stocks, squagges	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of

SMEG SPA 6/09/2025

overheating of the control unit.

of grilling various foods, chops, steaks, sausages

etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is

ideal for small quantities of food.





Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 5 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



Knobs control



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

Push-pull storage compartment

More space thanks to the lower push-pull compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Soft close

The door is equipped with a specific system for silent closing

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat